

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



USDA National Agricultural Library NAL Building 10301 Baltimore Blvd. Beltsville, MD 20705-2351

USDA National Agricultural Library NAL Building 10301 Baltimore Blvd. Beltsville, MD 20705-2351



Bur. Ent. & P. Q. Issued November 1939

United States Department of Agriculture

BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE
SERVICE AND REGULATORY ANNOUNCEMENTS

LIST OF INTERCEPTED PLANT PESTS, 1938

(List of Pests Recorded During the Period July 1, 1937, to June 30, 1938, Inclusive, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory.)

INTRODUCTION

This paper covers the twenty-fifth year for which pest interception lists have been issued. The periods of time covered by the early mimeographed lists were variable. The first printed lists were issued quarterly beginning in 1915. A large part of the interceptions recorded in the early lists were made by State inspectors. After quarantine No. 37 became effective and most of the nursery stock inspection work was done by Federal inspectors, with a consequent increase in the proportion of interceptions by them, publication of the list was put on an annual basis. The first of the annual lists, however, covered 15 months, October 1, 1919, to December 31, 1920. Interceptions for the calendar years 1924 and 1925 were issued in one list, and the list was put on a fiscal-year pasis again when interceptions for January 1, 1930, to June 30, 1931, were published in one list. From the beginning interceptions have been made on a wide variety of hosts

From the beginning interceptions have been made on a wide variety of hosts from all parts of the world. The number of interceptions made increased from less than 1,500 a year to more than 80,000 a year, even though many records formerly included were omitted from the later lists. During recent years it has been necessary to reduce drastically the recording of interceptions and to make brief summaries only for a large part of those recorded. It is believed that the records as a whole give a reasonably accurate idea of the pest status of the plant

material inspected.

In the method of selecting and presenting data the present list is similar to the preceding one, but the total number of interceptions has been markedly reduced by eliminating many items formerly recorded, particularly at the port of New York. Information on which the list is based is on file in the Washington office. The bulk of this information is in the form of routine reports from regular employees and from State and customs officials who are collaborators of the Bureau.

While the States of California and Florida and the Territory of Hawaii have staffs of specialists to make their determinations, most of the insects intercepted elsewhere are determined by specialists of the Bureau, and many of the more difficult plant-disease interceptions are determined by specialists of the Bureau of

Plant Industry.

Statements as to the origin of plant materials inspected cannot always be verified, but every reasonable effort is made to obtain the correct origin. Obviously doubtful items are omitted from the lists of interceptions under the countries of alleged origin.

NOTES ON INSECTS INTERCEPTED

FRUITFLIES

The following fruitflies were intercepted: Anastrepha distincta in Inga sp. from Mexico; A. grandis in pumpkin from Brazil; Mexican fruitfly (A. ludens) in apple, avocado, grapefruit, mango, orange, pomegranate, quince, sapote, sour orange, and sweet lime from Mexico; A. mombinpraeoptans in mango and purple mombin from the Dominican Republic, mango from Haiti, and jobo de la India and mango from Puerto Rico; A. serpentina in mamey, sapote, and tangerine from Mexico; A. suspensa in guava from Puerto Rico; Anastrepha sp. in orange from Brazil, guava and mango from Costa Rica, almond, hog-plum, guava, and mango from Cuba; star-apple from Ecuador, mango from Haiti, Honduras, and Jamaica, apple, guava, mamey, mango, orange, peach, pear, pomegranate, quince, sapote,

1

sour orange, and white sapote from Mexico, mango from Panama, golden-apple, guava, and sapodilla from Puerto Rico, and mango from Trinidad; Mediterranean fruitfly (Ceratitis capitata) in apple from Australia, fig, loquat, pear, strawberry guava, sweet pepper, and tangerine from Azores, (pupae) in case of tangerines and oranges and (larva) on paper wrapper for tangerine from Cyprus, peach from France, pomegranate, quince (pupae) in basket of quinces and pomegranates, and (pupae) on paper wrapper for peaches from Greece, avocado, bell pepper, coffee berry, and mango from Hawaii, citron, hawthorn, orange, pear, persimmon, pomegranate, pricklypear, quince, tangerine, (pupae) in bag of oranges, (larvae and pupae) on peach and in container for peaches, (pupae) in box of tangerines, and (larvae, pupae, and adults) in trunk containing various fruits from Italy, loquat from Madeira Islands, orange and tangerine from Portugal, orange from Southeast Africa and Spain, and (larvae) among three pounds of oranges of unknown origin at a New York pier; Ceratitis sp. in red chili pepper from the Straits Settlements and apple and pear from the Union of South Africa; melon fly (Dacus cucurbitae) in cucumber from the Philippines; olive fruitfly (D. oleae) in olive and (adults) in package and trunk containing olives from Italy; Dacus sp. in pomelo from Ceylon; celery fly (Philophylla heraclei) in celery from England; apple maggot (Rhagoletis pomonella) in manzanita from Mexico; Rhagoletis sp. in black walnut and Crataegus from Mexico; papaya fruitfly (Toxotrypana curvicauda) in papaya from Bahamas and Cuba; trypetid in orange from Africa, Crassulaceae from Arabia, Acanthopanax sp. from China, and Heliconia sp. from unknown origin.

INSECTS OTHER THAN FRUITFLIES

Larvae of Acrolepia assectella (Plutellidae) were intercepted in leek leaves from Netherlands. The citrus blackfly (Aleurocanthus woglumi) arrived on leaves of Citrus sp. and sour lime from Cuba. Anuraphis cynariella was taken on globe artichokes from Algeria, France, and Italy. The weevil Apion carduorum infested globe artichokes from France, Italy, and Netherlands. A. craccae arrived with vetch from England and Scotland. Turnips in ships' stores from Algeria and Portugal were attacked by the weevil Baris laticollis. B. lepidii was found in horseradish from Czechoslovakia. The turnip gall weevil (Ceutorhynchus pleurostigma) was intercepted in rutabagas and turnips from England and turnips from Belgium, Denmark, France, Germany, and Scotland. The Asiatic rice borer (Chilo simplex) arrived with nice straw from China, France, Japan, and Manchuria and with a wisteria plant from Japan. Chionaspis wistariae (Coccidae) was found on wisteria from Japan. Conotrachelus aguacatae (Curculionidae) infested avocados from Mexico. The banana root borer (Cosmopolites sordidus) arrived with a banana root from Honduras. Crocidosema plebeiana (Olethreutidae) infested okra from Cuba and Mexico. Chestnuts from Italy were attacked by the weevil Curculio elephas. Potatoes from Mexico were infested with the by the weevil Curcuito eteptas. Foliatoes from Mexico were infested with the potato weevil (Epicaerus cognatus). The West Indian sweetpotato weevil (Euscepes postfasciatus) was intercepted in sweetpotato from American Virgin Islands, Barbados, Brazil, Mexico, Puerto Rico, and St. Vincent. Exosoma lusitanica (Chrysomelidae) was found in cipollino from Morocco. Gnorimoschema gudmanella (Gelechiidae) infested peppers (Capsicum annuum) from Mexico. Larvae of the turnip mud beetle (Helophorus rugosus) were taken in turnips from France. Hoplandrothrips reynei was found on orchids from Colombia. Laspeyresia splendana (Olethreutidae) was intercepted in chestnuts from Italy, Japan, Portugal, Switzerland, and Yugoslavia. Lepidosaphes camelliae (Coccidae) was found on Camellia from China and Japan. The bean pod borer (Maruca testulalis) was intercepted in lima beans from Cuba, string beans from Japan and Mexico, pigeon peas and string beans from Puerto Rico, and on leis from Hawaii. Mega-Soviet Socialist Republics. Orchids from the Philippines were attacked by Mertila malayensis (Miridae). A larva of the pineapple weevil (Metamasius ritchiei) was found in a pineapple from Mexico. Micrelus ericae (Curculionidae) arrived with heather from England, Germany, and Scotland and with soil around heather from Ireland. $Mordellistena\ cattleyana\ (Mordellidae)\ infested orchids from Colombia and Guatemala, and <math>M.\ chapini$ was found in a Cattleya leaf from Colombia. Napomyza lateralis (Agromyzidae) was taken in witloof leaves from Belgium and France. Naupactus xanthographus (Curculionidae) arrived with grapes from Argentina. The yam weevil (Palaeopus costicollis) was found in sweetpotato from Jamaica and yams from China and Jamaica. The pink bollworm (Pectinophora gossypiella) was intercepted in cotton bolls from Dominican

Republic and Mexico, cottonseed from Bahamas, Brazil, Dominican Republic, Egypt, Grenada, Mexico, Montserrat, and Puerto Rico, seed cotton from Italy, Mexico, and Uganda, and seed cotton adhering to old bagging from Mexico. Poliaspis pini (Coccidae) was taken on pines from Japan. Larvae of the vine moth (Polychrosis botrana) were intercepted on a grape berry from Italy. A larva of the Japanese beetle (Popillia japonica) was taken in soil around a chrysanthemum root from Japan. Lemon and orange from the Philippines were infested with the Philippine orange moth (Prays citri). Psylliodes chrysocephala (Chrysomelidae) arrived with broccoli from Italy, radish from Portugal, and turnips from England, France, Italy, and Mexico. The pear tingid (Stephanitis pyri) was found on persimmon from Italy. The mango weevil (Sternochetus mangiferae) was taken in mangoes from Hawaii and New Zealand. Taeniothrips dianthi was found on a carnation leaf from Yugoslavia, and T. ericae infested aster from England and heather from Germany and Scotland. Tenthecoris bicolor (Miridae) was intercepted on orchids from Colombia and Venezuela.

NOTES ON PLANT DISEASES INTERCEPTED

Among the plant diseases intercepted during the fiscal year 1938 were several well known as being serious on important economic hosts. Among the diseases were citrus canker (Bacterium citri), banana leaf spot (Cercospora musae), cereal rusts and smuts, and citrus black spot (Phoma citricarpa). Other diseases were intercepted which might prove to be important if introduced but which were caused by new species or were on unreported hosts and their economic status not determinable.

For convenience some of the more interesting plant disease interception records

are summarized by groups in alphabetical arrangements.

BACTERIAL DISEASES

Citrus canker (Bacterium citri) was intercepted on lemon from Straits Settlements, on lime from Egypt (2), the Philippines, and Straits Settlements, on orange from China (3) and Japan (9), on pomelo from China and Straits Settlements, on tangerine from Japan (2), and on lime and orange of unknown origin, the orange in baggage from Canada. B. hyacinthi was intercepted but once during the year, in a hyacinth bulb from Netherlands. Pumpkins from Japan and Straits Settlements were found with bacterial spots such as are produced by B. lachrymans on other cucurbits.

We have no adequate facilities available for the determination of bacterial

diseases, hence many bacterial infections are not determined.

FUNGOUS DISEASES

A considerable number of fungous diseases not heretofore represented in our interception records were added during the year. Some of these were intercepted prior to the beginning of this fiscal year but not determined in time to be included in the preceding list. Among the new entries for this year were Ascochyta achlydis on Achlys triphylla from British Columbia; Botrytis squamosa on garlic from Chile; Cercospora musae on banana from Guatemala, Honduras, and Java; Dendrodchium cattleyae on orchid from Colombia; Dicherinia guianensis on Lonchocarpus from British Guiana; Enysiphe umbellijerarum on parsnip from Germany and Netherlands; Fabraea maculata on quince from Union of South Africa; Gloeosporium bidgoodii on orchid from Colombia; G. dendrobii on orchid from Brazil; Hemileia oncidi on orchid from Mexico; G. orchidearum on orchid from Brazil; Hemileia oncidi on orchid from Brazil; Hendersonia oryzae on rice straw mat from Japan; H. pecki on honeysuckle from Sweden; Heterosporium trillii on Trillium from British Columbia; Hormodendron cladosporioides on tomato from France; Leptothyrium castancae var. quercus on oak from Eugland; Lophodermium juniperinum on juniper from Sweden; Macrophoma hippoglossum on Ruscus from Italy; M. orchidicola on orchid from Guatemala; Marsonia juglandis on walnut from Italy; Microdiplodia passeriniana on palm from Morocco; Monochaetia compta var. ramulicola on rose stock from Netherlands; Mycosphaerella opuntiae on cactus from Mexico; Myrothecium verrucaria on tomato from Mexico; Oddium hortensiae on hydrangea from Scotland; Ovularia obliqua on Rumax from Mexico; Pestalazzia bicolor on willow ties from Argentina: Phaeochora chamaeropis on palm from Morocco; Phaeosphaerella ephedrae on Ephedra from China; Phomo hippoglossi on Ruscus from Italy; P. rimosa on Phragmites from Netherlands; Phomopsis aucubae on Aucuba from Italy, Japan, and Sweden; P. conorum var. naviculispora

on spruce cone from Germany; P. juglandina on walnut from Poland; P. magnolii-cola on magnolia from Japan; P. seposita on wisteria from Japan; P. tinea on viburnum from Italy; Phyllosticta auerswaldii on box from Germany; P. codiaeicola on croton from Bermuda; P. danoes on Ruscus from Italy; P. hibisci on Hibiscus from Bermuda; P. ruborum on raspberry from Switzerland; Phytophthora capsici on tomato from Mexico; Puccinia angustata on Scirpus from Spain; P. incondita on Solanum from Mexico; P. pimpinellae on anise from Mexico; P. tageticola on Tagetes from Mexico; Rhabdospora ramealis on Rubus from England; Sclerophoma (Phoma) strobiligena on pine from England and spruce from Germany; Septobasidium prunophilum on plum from Japan; Septoria alliorum on leek from France; S. stellariae on chickweed from Italy; S. weissii on chervil from Italy; Sphaeronema talcahuanense on Cryptocarya from Australia; Trematosphaeria cactorum on eactus from Mexico; Uredo behnickianum on orchid from Panama; U. guacae on orchid from Costa Rica; Uromyces commelinae on wandering jew from Mexico; U. limonii on sea-lavender from Union of South Africa; U. loti on lotus from Turkey; Verticiliodochium tubercularioides on walnut from Poland; and Volutella albido-pila on

orchid from the Philippines.

A number of the fungi intercepted did not appear to belong in species described as occurring on the hosts affected and were determined tentatively if at all. Included in this group are *Anthostomelia* sp. (unlike either of the two species described on orchids) on *Oncidium speciosum* from Mexico; *Cladosporium* sp. (undescribed) on croton leaf from Mexico; Collectoirichum sp. (no species reported on the host genus) on Stapelia sp. from Arabia and Uganda; Cytospora sp. (no species reported for host) on Macrozamia from Australia; Didymosphaeria sp. (no species reported on host) on freesia leaves from Netherlands; Gloeosporium sp. (probably undescribed) on Cattleya gigas from Colombia; Gloeosporium sp. (unlike described species) on globe artichoke from England; Helminthosporium sp. or spp. (unlike species reported on host) on tomatoes from Haiti and from Mexico: Macrophoma sp. (no species reported on host) on ismene lily from Azores; Macrophoma sp. (with spores smaller than those of M. paeoniae) on Paeonia sufcavendishianum from Guatemala; Peridermium sp. (no species reported on hosts) on Pinus halepenis from Italy; Pestalozzia spp. (no species reported on hosts) on Limonium sp. from Union of South Africa and on Oncidium bicallosum and Stanhopea wardii from Guatemala; Phomatospora sp. (no species described on host) on Camellia japonica from Japan; Phyllosticta n. sp. on holly from Yugoslavia; Phyllosticta sp. (unlike species reported on orchids) on Laelia sp. from Mexico; Phyllosticta sp. (P. lacliae? with small spores) on Oncidium ornithorhynchum from Guatemala; Phyllosticta sp. (no species reported on host) on Schizocodon macrophyllum from Japan; Rhabdospora sp. (no species reported on host) on Paeonia moutan from Japan; Sclerotium spp. (undetermined, apparently Not reported on hosts) on Camellia japonica from Japan, on Carum carvi from Netherlands, on Lycoris radiata and Lycoris sp. from Japan, on mango seed from Sierra Leone, and on Nerine appendiculata and N. sarniensis from Union of South Africa; Sphaerulina sp. (apparently undescribed) on Paeonia moutan and P. suf-fruticosa from Japan; Uredo sp. (no rust reported on host) on Maxillaria sp. from Venezuela; and Ustilago sp. (unlike species on host) on Phalaris canariensis from Morocco.

Diseased seeds were found on a number of occasions, these interceptions including Erysiphe umbelliferarum on parsnip seed from Germany and Netherlands; Fusicladium depressum (with shorter spores than the description gives) on Foeniculum vulgare seed from India and F. depressum on Foeniculum sp. seed from Hungary and from Union of Soviet Socialist Republics; Gloeosporium ulmicolum on elm seed from Canada; Phoma samararum on Fraxinus excelsior seed from Italy; Phomopsis tinea on Viburnum tinus seed from Italy; Sclerotium spp. on Carum carvi seed from Netherlands, on mango seed from Sierra Leone, Pyrethrum sp. seed from England, and on acorns from England; and Ustilago sp. (unlike species reported as affecting seed of host) in seeds of Phalaris canariensis from Morocco.

Among the important or unusual fungous disease interceptions not included in the foregoing paragraphs were Cephalosporium pammelii var. purpurascens on apple from Japan; Cercosporella albomaculans on cabbage from Japan; Diaporthe perniciosa on apple from Morocco; Elsinoe phaseoli on lima beans from Cuba; Macrophoma oncidii on orchids from Brazil, Canal Zone, and the Philippines; Phoma citricarpa on citrus from China and Japan; Phyllosticta laeliae on orchid from Mexico; Puccinia cannae on canna from Mexico; Pucciniastrum myrtilli on azalea from Switzerland; Tilletia horrida in rice hulls from Japan and from the Philippines; Uredo jatrophicola on Jatropha from Puerto Rico; and Verticillium

albo-airum on dahlia from Belgium, Germany, Italy, and Netherlands, on Eremurus from Netherlands, and on Ficus from Italy.

Numerous interceptions of cereal rusts and smuts were made which may represent strains not present in this country, but as their status could not be determined and the species are common no detailed record of them was prepared.

VIRUS DISEASES

Virus diseases constitute a serious quarantire problem because, though destructive, they cannot be detected, even when present, in most types of plant material offered for entry, and even if detected their specific identity could not be determined in many cases. Reports were received of heavy losses from virus diseases in imported lily bulbs, diseases which could not be detected in the bulbs at the time of entry and inspection.

Mosaic was intercepted in Gloriosa superba from the Virgin Islands and lilies

from Bermuda; spotted wilt of tomato, was intercepted from Mexico.

NEMATODE INTERCEPTIONS

Twenty interceptions of Anguina tritici were made in seed wheat from Afghanistan and three in wheat from Turkey. Aphelenchoides bicaudatus was intercepted in ginger from China; A. fragariae in lily-of-the-valley from Germany and lilies from Netherlands; A. limberi in dahlia from Germany; A. parietinus in various hosts from Azores, Belgium, China, Denmark, Dominican Republic, England, France, Germany, Italy, Jamaica, Japan, and Netherlands; Aphelenchus avenae on various hosts from Belgium, Denmark, France, Germany, Italy, Morocco, Netherlands, and Union of South Africa; Ditylenchus dipsaci in various hosts from Denmark, England, France, Germany, Guernsey, Netherlands, Norway, Poland, Sweden, and Uruguay; D. intermedius on yam from Puerto Rico; Heterodera marioni on new or unusual hosts for our interception files, including Adromischus trigynus from Germany, Anemone nemorosa and its variety robinsoniana from Canada, A. tessiri from Germany, Coptis quinquefolia from Japan, Convolvulus incanus from England, Echeveria spp. from Mexico, Hibiscus sp. from Mexico, Lobivia graulichi and L. schuldti from Japan, Melocactus matanzanus from Cuba; Pachyrhizus erosus from China, Pachysandra terminalis and Sarcocca ruscifolia from England, and Urbinia purpusii from Japan; Hexatylus n. sp. in ginger from China; Neotylenchus probably abulbosus in turnip from Wales; Pratylenchus pratensis in lily-of-the-valley from Germany, yam from Jamaica, and potato trom Mexico; Rotylenchus bradys in yam from Puerto Rico; R. robustus in soil around roots of a century plant from Italy; and Tylenchus filiformis in Araucaria from Germany.

COMMON PESTS INTERCEPTED

Many pests commonly found on their hosts in the United States are intercepted more or less frequently. At times such interceptions have indicated the occurrence of some of these pests in countries from which they had not been reported. Some of these common pests intercepted may represent strains differing markedly in host reactions from the strains already established here. However, we have no ready means of determining the possible importance of common pests intercepted and no longer record most of them. It is believed that the interceptions listed in these paragraphs are sufficiently representative of this type of material. In addition to disease common in this country, one disease (*Eisinoe phaseoli*) which occurs in Puerto Rico but is not known to occur in the continental United States has been intercepted so frequently on lima beans from Cuba that its interception has been recorded as though it were a common pest.

The two sets of figures in parentheses following each pest name indicate the number of countries from which the pest was intercepted and the total number

of interceptions.

INSECTS

Acanthoscelides obtectus (10—398), Ahasverus advena (21—109), Aonidiella aurantii (18—85), Aphis gossypii (15—297), A. rumicis (5—26), Araecerus fasciculatus (16—24), Aspidiolus camelliae (9—20), A. cyanophylli (11—47), A. hederae (16—92), A. lataniae (21—169), A. perniciosus (7—14), Aulacaspis pentagona (10—22), A. rosae (3—3), Brevicoryne brassicae (11—38), Carpocapsa pomonella (17—83), Cathartus quadricollis (4—86), Cavariella capreae (6—26), Cerataphis lataniae (13—61), Ceroplastes floridensis (5—30), Chionaspis citri (8—24), Chry-

somphalus aonidum (18—408), C. dictyospermi (20—176), Coccus elongatus (5—19), C. hesperidum (17—47), Diaspis boisduvalii (23—231), D. bromeliae (7—38), D. echinocacti (13—50), Ephestia cautella (19—80), Etiella zinckenella (5—28), Gnorimoschema operculella (25—189), Heliothis obsoleta (7—1,507), H. virescens Gnorimoschema operculella (25—189), Heliothis obsoleta (7—1,507), H. virescens (4—74), Heliothrips haemorrhoidalis (9—21), Howardia biclavis (8—75), Ischnaspis longirostris (10—23), Lasioderma serricorne (12—139), Lepidosaphes beckii (46—664), L. gloverii (13—136), L. ulmi (18—75), Macrosiphum solanijolii (9—144), Myzus persicae (14—158), Necrobia rufipes (10—18), Oryzaephilus surinamensis (14—127), Parlatoria pergandii (20—105), P. proteus (11—70), Pinnaspis aspidistrae (7—43), P. minor (10—104), Plodia interpunctella (16—294), Pseudaonidia articulatus (20—88), Pseudococcus adonidum (19—44), P. brevipes (17—511), P. citri (26—124), P. maritimus (23—105), P. nipae (10—26), Rhizoglyphus hyacinthi (10—28), Rhizopertha dominica (3—30), Saissetia hemisphaerica (26—244), S. nigra (8—34), S. oleae (18—36), Sitophilus granarius (6—15), S. oryza (16—885), Sitotroga cerealella (9—45), Stegobium paniceum (11—49), Tenebroides mauritanicus (15—55), Thrips tabaci (22—201), Tribolium castaneum (19—121), T. confusum (15—55), Thrips tabaci (22—201), Tribolium castaneum (19—121), T. confusum (3-57), Typhaea stercorea (13—52).

In addition to the listed species of common insects, there were 4,627 interceptions belonging to 569 different species which were not deemed to be of sufficient importance from the plant quarantine viewpoint to warrant listing them by species.

Total of insects included in this paragraph, 14,074.

DISEASES

Acrostalagmus cinnabarinus (1—1), Actinomyces scabies (31—213), Albugo candida (5—38), Alternaria brassicae (9—25), A. herculea (11—24), A. radicina (7—15), A. solani (2—5), Aspergillus niger (34—156), Bacillus carolovorus (21—52), Bacterium campestre (2—2), B. maculicola (13—32), B. marginatum (6—285), B. tumefaciens (7-25), B. vesicatorium (9-627), Botrytis cinerea (32-198), Bremia tumefaciens (i-25), B. vesicatorium (y-521), Botrylis cinerea (52-195), Brema lactucae (4-12). Capnodium citri (15-21), Cephalothecium roseum (14-52), Ceratostomella adiposum (2-22), C. paradoxa (13-169), Cercospora apii (3-3), C. beticola (2-7), C. capsici (4-117), C. neriella (1-8). C. rosicola (3-11). Cladosporium carpophilum (3-14), C. cumcumerinum (3-4), C. fulvum (4-10), C. herbarum (5-9), Colletotrichum circinans (4-17), C. lagenarium (8-13), C. lindemuthianum (11-22), Conichyrium fuckelli (2-7), Corticium vagum (24-317), Diagraphy, hageolarum (1-73), pinlogarnor, rosec (4-9), Pinlogarnor, C. herbarum (5—9), Colletotrichum circinans (4—17), C. tagenarium (8—13), C. lindemuthianum (11—22), Coniothyrium fuckelli (2—7), Corticium vagum (34—317), Diaporthe phaseolorum (1—73), Diplocarpon rosae (4—9), Diplodia natalensis (17—57), D. tubericola (7—9), D. zeae (3—6), Elsinoe jawcettii (16—45), E. phaseoli (1—550), Erysiphe graminis (4—29), Fusarium moniliforme (3—14), Gibberella saubinetti (1—1), Glocosporium limetticolum (14—240), G. musarum (4—7), Glomerella cingulatum (26—234), Graphiola phoenicis (5—12), Helminthosporium allii (12—100), H. oryzae (2—4), H. sativum (7—52), Heterodera marioni (21—81), Heterosporium allii (6—7), Leptothyrium pomi (10—12), Macrosporium solani (1—1), M. tomato (1—7), Melanconium sacchari (8—18), Mycosphaerella brassicicola (8—20), M. pinodes (7—8), Vigrospora sphaerica (3—4), Oospora citri-aurantii (2—6), O. lactis parasitica (7—15), O. pustulans (3—6), Penicillium digitatum (22—76), P. expansum (7—18), P. gladioli (7—19), P. italicum (17—37), Peronospora parasitica (4—10), Pestalozzia guepini (4—16), Phoma betae (1—1), P. destructor (4—475), P. lingam (3—4), Phomopsis citri (35—135), P. vexans (10—116), Phytophthora infestans (24—294), Puccinia antirrhini (1—2), P. chrysanthemi (2—2), P. coronata (3—5), P. glumarum (2—2), P. graminis (25—161), P. hieracii (2—2), P. malvaccarum (3—5), P. menthae (2—9), P. porri (6—14), P. rubigo-vera (12—77), P. sorghi (1—4), Rhizopus nigricans (35—165), Selerotiinia selerotiorum (24—134), Selerotium oryzae (4—17), Septoria apii (18—40), S. vetroselini (11—21), Sphaceloma perseae (2—9), Sphacelotheca sorghi (2—3), Spondylocladium atrovirens (51—967), Spongospora subterranca (14—43), Tilletia foetans (2—2), T. laevis (4—18), Uromyces appendiculatus (1—1), Vecaryophyllinus (3—9), Ustilago hordei (2—2), U. tritici (3—3), U. zeae (4—10), Venturia inaequalis (26—141), V. pyrina (10—20), Verticillium cinnabarina (24—133). Total of these disease interceptions, 7,382.

INCOMPLETELY DETERMINED PESTS

Many intercepted insects and plant diseases cannot be determined with accuracy. Material may be scanty and in poor condition. The life histories of some insects are imperfectly known, or in the stage present two allied species may be almost indistinguishable, or the one or two specimens obtained may not be quite

June 1938]

typical. In the case of plant pathogens the fruiting stages necessary for a determination may be lacking. While a few intercepted insects in immature stages have been reared at times and on rare occasions plant-disease organisms have been cultured and their identity established, there is no provision for the routine determination of immature insects by rearing or of plant diseases by culturing. While it is possible to determine many well-known pests in any stage of development, it would be highly desirable to make more comprehensive studies of unknown insects and diseases which cannot be determined by the means available and which may be potentially dangerous. This is especially true of plant pathogens, which are so often present in forms that are not detected by practicable general inspection methods.

INSECTS

Of the insect pests intercepted a total of 266 could be determined to family, subfamily, or tribe, only. A total of 6,092 other lots of insect pests, determined to genus only, were distributed among 667 genera. The largest number of interceptions included under any one of these 667 genera is 620 under Frankliniella, which arrived from 10 countries on 80 different hosts. Under Pseudococcus sp. there are records of 309 interceptions from a total of 41 countries and 104 hosts. Under Euxesta sp. there were 191 interceptions from 19 countries and associated with 42 different hosts. Ceutorhynchus sp. was intercepted 143 times from 14 countries on 10 hosts. Chrysomphalus sp. was taken 135 times from 21 countries on 31 hosts. Under Diaspis sp. there were 117 interceptions from 13 countries and 12 hosts. Curculio sp. arrived 97 times from 14 countries on 6 hosts. Diatraea sp. was intercepted 95 times from 5 countries on 4 hosts. Conotrachelus sp. arrived 90 times from 8 countries on 13 hosts. Under Haplothrips sp. there were 79 interceptions from 8 countries on 20 hosts. Empoasca sp. was taken 71 times from 6 countries on 26 hosts. Under Diaphania sp. there were 70 interceptions from 4 countries on 7 hosts.

DISEASES

While many of the common disease organisms are no longer reported in all cases, the total of interceptions of Fusarium sp. recorded was 2,060 from 79 countries or geographic subdivisions. Eighteen other genera were intercepted 25 or more times and not determined to species. Thirty-five genera were represented by one interception only, and 44 additional genera were represented by fewer than 10 interceptions each. Interceptions of Gloeosporium determined to genus only totaled 182 on 55 hosts belonging to 35 genera and on material from 31 countries or geographic subdivisions, including every continent. Undetermined interceptions of the closely related genus Colletotrichum totaled 32 on 15 hosts belonging to 12 genera and on material from 14 countries. There were 32 interceptions of Sclerotium sp. on 24 hosts belonging to 21 genera and on material from 13 countries. Phyllosticta sp. was intercepted 28 times on 24 hosts, all different genera, and from 18 countries. Undetermined interceptions of the related genus Phoma totaled 39 on 24 hosts belonging to 22 genera and on material from 18 countries. Fifty-two interceptions of "mosaic" were made on plant materials from Cuba and are included as determined to genus only.

One hundred and eight genera are represented in this group of incompletely

determined pathogens. Total of these interceptions, 4,828.

ENTOMOGENOUS FUNGI

Some beneficial fungi, particularly those attacking insects, were found in the course of inspection of imported plants. These entomogenous fungi included Aegerita webberi on Dialeurodes citrifolii on citrus from Cuba; Aschersonia aleyrodis on Dialeurodes citri on citrus from Bahamas; A. cubensis on Coccus hesperidum on guava from Cuba; Cephalosporium lecanii on Coccus viridis on coffee from Cuba and Jamaica; Hirsutella sp. on leaf beetle on coffee from Jamaica; Myriangium duriaei on Lepidosaphes beckii on orange from Cuba and Jamaica; Nectria diploa on Aonidiella aurantii on orange from Cuba, on Chrysomphalus aonidum on orange from the Bahamas, on Ischnaspis longirostris on Ficus nitida from Cuba, on Lepidosaphes beckii on citrus from Costa Rica, Cuba, and Jamaica, and on Pseudaonidia articulatus on orange from Haiti; Ophionectria coccicola on undetermined host on citrus and on gardenia from Mexico; and Scoleconectria coccicola on undetermined host on citrus from Mexico.

Geographic summary of interceptions listed in main table and interception totals

Country	Insects	Diseases	Country	Insects	Diseases
Africa:	Number	Number	North America:	Number	Number
Africa	1	0	Bermuda	14	15
Algeria	3	ő	Canada	12	6
Angola	1	ő	British Columbia		
Rolgian Congo	2	0	Nova Sectio	0	2
Belgian Congo Egypt			Nova Scotia	0	1
Egypt	8	4	Central America:		Į.
Ethiopia	0	1	British Honduras	2	0
Madeira Islands	6	0	Canal Zone	9	ē
Morocco	29	5	Costa Rica	19	1
Southeast Africa	1	0	Guatemala	45	12
Uganda	2	0	Honduras	12	1
Uganda_ Union of South Africa	68	92	Nicaragua	1	ĺ (
West Africa	1	1	Panama	24	3
.sia	1	1	Salvador	3	
	0	21	Salvador		
Afghanistan			Mexico	4, 148	52
Arabia	1	0	Newfoundland	31	5
China	35	28	West Indies:		
Cyprus	2	0	American Virgin Is-		
India	19	4	lands	2	1
Japan	212	80	Antigua	3	Ô
Manchuria	2	0	Bahamas	23	
Palestine.	3	ő	Barbados	16	
Siam	1	0	Carbo		
Siam Straits Sottle		5	Cuba	500	10
Straits Settlements	10	5	Curação	0	1
Syria.	3	0	Dominica Dominican Republic	3) (
Trans-Jordan	1	0	Dominican Republic	34	35
i urkey	9	4	Dutch West Indies	1	0
USITAIASIA:			Grenada	1	Ö
Australia	14	3	Guadeloupe	1	0
Ceylon	4	0			0
Christman T-11	1		Haiti	4	9
Christmas Island		0	Jamaica	30	4
Dutch East Indies	1	0	Martinique	3	0
Hawaii	243	9	Montserrat	4	0 0 4 0 0 0
Java	4	2	Nevis	1	0
New Guinag	2	0	Puerto Rico	42	11
New Zealand	6	1	Saba	1	0
Philippines	90	28	St. Kitts	2	ő
Pitcoirn Island	2	0	C4 Terris	1	0
Pitcairn Island		0	St. Lucia	1	0
Society Islands	1	0	St. Vincent	2	2
Sumatra	2	0	Trinidad	11	0 2 3 0
nrobe.			Virgin Islands	1	0
Austria	13	2	South America:		
Azores	9	2	Argentina	19	2
Belgium	189	9	Brazil	25	11
Bulgaria	2	0	British Guiana	2	
Czechoslovakia	24	ŏ	Chile	10	7
Denmark	12	2		74	1 7 8 0
England			Colombia		0
England	84	27	Dutch Guiana	1	
Estonia	1	0	Ecuador	5	1
r iniand	1	0	Paraguay	2	0
rtance	144	49	Peru	2	0
Germany	48	118	Uruguay	0	1
Greece	20	1	Venezuela	38	1
Guernsey	0	5	Total:	0.3	
Hungary		2		122	100
Hungary	73	2	Africa		103
Ireland	13	2	Asia	298	147
Italy	198	62	Australasia	370	43
Latvia	0	1	Europe	1,081	650
Lithuania	1	0	North America	5,006	170
Netherlands	54	324	South America	178	32
Norway	4	5	Unknown origin	9	2
Poland	15	7	CHKHOWH OHEHL	9	
Poland			M-4-1	7 001	1 147
Portugal.	28	1	Total	7,064	1, 147
Scotland	123	5	Total (common pests,		
Spain	9	4	p. 5)	14,074	7, 382
Sweden	2	13	Total (incompletely de-		
Switzerland	6	5	termined pests, p. 6)	6, 358	4,828
Union of Soviet Socialist		U	termined pests, p. 6) Total insects	27, 496	2,020
Popublica Buylet Bucialist	1	- 1	Total diseases	21, 130	12 257
Republics	1	1	Total diseases		13, 357
Wales	3	2	Grand total		40, 853
Yugoslavia	4	1			

Note.—In addition to the countries named above, interceptions, including those of common pests (p. 5) and of incompletely determined pests (p. 6), were made from Albania, Aruba, Borneo, British East Africa, British Somaliland, British West Indies, Canary Islands, Cape Verde Islands, Cayman Islands, East Indies, Fiji Islands, French Indo-China, French West Africa, Gibraltar, Gold Coast, Guam, Iran, Iraq, Juan Fernandez, Liberia, Madagascar, Malta, Marquesas Islands, Monaco, Mozambique, Nigeria, Ontario, Orient, Palmyra Island, Penang, Queensland, Rumania, St. Martin (Dutch West Indies), Senegal, Sierra Leone, Southwest Africa, Taiwan, Tasmania, Turkestan, Wake Island, and West Indies.

		Nui		of in		p-		
Country of origin and name of pest	Host ¹	Cargo	Mail	Ваggage	Quarters	Stores	Collected in—	
Afghanistan								
Diseases: Anguinatritici	$Triticum aestivum ({ m wheat})$	20					District of Co-	
Diplodia viticola	Vitis sp. (grape)		1				Do.	
AFRICA Insects: Trypetid	Citrus sinensis (orange)					1	Louisiana.	
Insects: Anuraphis cynariella (aphid)	Cynara scolymus (globe	- -				1	New York.	
Baris laticollis (Curculioni-	artichoke). Brassica rapa (turnip)					1	Texas.	
dae. Thrips angusticeps (thrips)	Cynara scolymus					1	New York.	
AMERICAN VIRGIN ISLANDS								
Insects: Euscepes postfasciatus (West Indian sweetpotato weevil). Diseases:	Ipomoea batatas (sweet-potato).	ļ -		2		m/4	Do.	
Mosaic	Gloriosa su perba			1			Puerto Rico.	
ANGOLA Insects: Stephanoderes hampei (coffee berry borer).	Coffea sp. (coffee)	1					New York.	
ANTIGUA Insects:								
Asterolecanium miliaris longum (Coccidae).	Bamboo		1				Do.	
Myelois sp. (Pyralididae)	Tamarindus indica (tama-						Do.	
Targionia hartii (Coccidae)	Dioscorea sp. (yam)			1			Do.	
ARABIA Insects: Trypetid	Crassulaceae		1				California.*	
ARGENTINA Insects:								
Deltocephalus venatus (Cica- dellidae).	Packing for grapes	1					New York.	
Diatraea sp. (Pyralididae)	Holcus sorghum var. (broomcorn).	1					Louisiana.	
Do Do Edessa meditabunda (Penta- tomidae).	do do Vitis sp. (grape)	4 1 1					New York. Puerto Rico. New York.	
Euxesta sp. (Otitidae) Naupactus xanthographus	Allium cepa (onion) Vitis sp. (grape)					1	Louisiana. Do.	
(Curculionidae). Parlatoria cinerea (Coccidae). Parlatoria fluggeae brasiliensis (Coccidae).	Citrus grandis (grapefruit)_ Citrus sinensis(orange)				1	1	Do. Florida.*	
Psychid	Packing for grapes Vitis sp. (grape) Echinopsis scheerii (cac-	1 2 1					New York. Do. District of Co-	
Salax lacordairei (Tenebrionidae).	tus). Packing for grapes						lumbia. New York.	

¹ The common names for the following have been omitted: Ananas sativus (pineapple), Brassica oleracea capitata (cabbage), Capsicum annuum (pepper), Lycopersicum esculentum (tomato), Saccharum officinarum (sugarcane), and Solanum tuberosum (potato). Where the same host occurs frequently the common name has been omitted part of the time. All horticultural variety names have been omitted.

		Nu	mber tio	of in	iterce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ARGENTINA—Continued	- 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2						
Insects—Continued. Saulaspis graphica (Chrysomelidae).	Paper packing for grapes	1					New York.
Stenogeocoris horvathi (Lygaei- dae).	Packing for grapes	1					Do.
Diseases: Pestalozzia bicolor Uromyces striatus medicaginis_	Salix sp. (willow) Medicago sativa (alfalfa)	1 1					Do. Do.
AUSTRALIA Insects:							
Bothrideres equinus (Colydiidae).	Cryptocarya palmerstoni (Queensland walnut) (log).	1					Do.
Ceratitis capitata (Mediter- ranean fruitfly).	Malus sylvestris (apple)					1	Massachusetts.
Chrysom phalus dictyos permi var. (Coccidae).	Mangifera indica (mango)	1					Hawaii.*
Chrysomphalus rossi (Coccidae).	Macrozamia peroffskyana		1				California.*
Do	Macrozamia sp Macrozamia peroffskyana		1 1				Do.* Do.*
Diaspis zamiae (Coccidae) Parlatoria riridis (Coccidae) Phenacaspis eugeniae (Cocci-	Palm Hou ea sp. (kentia palm)				1		Pennsylvania. Do.
dae). Platypus australis (Platypod- idae).	Cryptocarya palmerstoni (Queensland walnut)	2					New York.
Uleiota australis (Cucujidae) Xyleborus kraatzi (Scolytidae).	(log), dododo	3 1					Do. Do.
Diseases: Septoria gladioli Sphaeronema talcahuanense	Gladiolus sp Cryptocarya palmerstoni	1 1					Washington. New York.
(?). Sterigmatocystis niger	(log). Allium cepa (onion)	1					California.*
AUSTRIA Insects:							
Anthonomus rectirostris (Curculionidae).	Prunus avium (mazzard)dodo	1	1				District of Co- lumbia. New York.
Bruchidius lividimanus var. (Bruchidae).	Cytisus scoparius (Scotch breem).	1					Do.
Bruchidius villosus (Bruchi-	do	1					Do.
Do	Laburnum alpinum (Scotch laburnum).		2				District of Co- lumbia.
Do	Laburnum anagyroides	1 3					New York. Do.
Do	(golden-chain). Spartium junceum (Span-	1					Do.
	ish broom).	1		1			
Leucaspis loewi (Coccidae) Megastigmus aculeatus (Calli- momidae). Diseases:	Pinus sp. (pine)	1		1			Do. Do.
Thecopsora padi	Picea excelsa (Norway	1					Do.
Vermicularia trichella	spruce). Hedera helix (English ivy)			1			Do.
Azores Insects:							
Ceratitis capitata (Mediter- ranean fruitfly).	Capsicum annuum		1				Do.
Do	Citrus nobilis deliciosa (tangerine).			1			Do.
D ₀	Eriobotrya japonica (loquat).		1				Massachusetts.
Do	do			2			New York.
Do	Ficus carica (fig) P s i d i u m cattleia num			1 1	- 1		Do. Do.
	(strawberry guava).						
Do	Pyrus communis (pear)			1			Do.

[All findings	marked with an asterisk ind	icate S	tate	nspe	ection	1]	
		Nui	nber tion	of in		ep-	
Country of origin and name of pest	Host		Mail	Baggage	Quarters	Stores	Collected in—
Azores—Continued							
Insects—Continued. Targionia bromeliae (Coccidae). Diseases:	Ananas sativus			1			New York.
Aphelenchoides parietinus	Colocasia esculenta (dash-	1					Do.
Ceratostomella fimbriata	Ipomoea batatas (sweet- potato).			1			Do.
Insects: Aonidiella cocotiphagus (Coccidae).	Cocos nucifera (coconut)			1		-	Florida.*
Aspidiotus destructor (Coccidae).	Artocarpus incisa (bread- fruit).			1			. Do.*
Do Do	Cocos nucifera Euphorbia pulcherrima (poinsettia).			1			Do.* Do.*
Do	Terminalia catappa (tropical almond).			1			Do.*
Aspidictus herculeanus (Coccidae).	Achras sapota (sapodilla)			1			New York.
Cylas formicarius (sweetpo- tato weevil). Dialeurodes citri (citrus white-	Ipomoea batatas (sweetpo- tato). Citrus sp				1	1	Florida.* Do.*
fly). Frankliniella cephalica	Antirrhinum majus (snap-				1		Do.*
(thrips). Do	dragon). Rosa sp			1			Do.*
Frankliniella cubensis (thrips) Do	Aster sp Rosa sp Citrus sinensis (orange)			 1	1		Do.* Do.*
Frankliniella insularis (thrips). Do.	Hibiscus sp				1		Do.*
DoHaplethrips yow deyi (thrips)	Rosa sp			1	1		Do.* Do.*
Pectinophora gossypiella (pink bollworm).	Gossypium sp. (cotton-seed).			1			Do.*
Taenicthrips simplex (gladio- lus thrips). Toxotrypana curvicauda (pa-	Antirrhinum majus Carica papaya (papaya)	X		1	1		Do.* Do.*
paya fruitfly). Vinsonia stellifera (Coccidae)	Aspidistra sp			1	1		Do.*
Barbados							
Insects: Aspidiotus destructor (Coccidae).	Persea americana (avocado).		1				New York.
Asterolecanium miliaris lon- gum (Coccidae).	Bamboo		3				Do.
Do	Grass Dry herb		1				Do. Massachusetts.
Euscepes postfasciatus (West Indian sweetpotato wee- vil).	Ipomoea batatas (sweet-potato).		1				Louisiana.
Targionia hartii (Coccidae) Do	Dioscorea sp. (yam)		$\frac{1}{2}$	$\frac{2}{3}$			Massachusetts. New York.
Do	Xanthosoma sagittifolium (yautia).		1				Do.
BELGIAN CONGO Insects:							
Leucaspis cockerelli (Coccidae).	Citrus sinensis (orange)						District of Co-
Minthea rugicollis (Lyctidae)	Entada gigas	1					New York.

		Nui	nber tion	of in is in-	terce	ep-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in —	
BELGIUM	•							
Insects:	Clahonia m intubes (mit	20					AT XT1-	
Agromyza pinguis (Agro- myzidae).	Cichorium intybus (wit-loof).	38					New York.	
Anaphethrips orchidii (thrips)	Anthurium sp		1				District of Co- lumbia.	
Apion pomonae (Curculioni-	Vicia sp. (vetch)	2					Oregon.	
dae). Ceutorhynchus pleurostigma	Brassica rapa (turnip)					1	Pennsylvania.	
(turnip gall weevil). Endrosis lacteella (Oecophori-	Begonia sp		1				District of Co-	
dae). Napomyza lateralis (Agromyzidae).	Cichorium intybus (wit-loof).	146					lumbia. New York.	
Diseases: Aphelenchoides parietinus	Apium graveolens (celery)_					1	Do.	
Aphelenchus avenae	do					1	Do.	
Sclerotinia minor	Cichorium intybus (wit-loof).	4					Do.	
Thielaviopsis basicola Verticillium alboatrum	Dahlia sp	2					Do. District of Co-	
	Danna sp	1					lumbia.	
BERMUDA Insects:				1				
Aphis spiraecola (green citrus	Gerbera sp			1			New York.	
aphid). Ceroplastes sinensis (Cocci-	Bignonia sp. (trumpet- creeper).			1			Do.	
dae). Frankliniella insularis	creeper). Codiaeum sp. (croton)				1		Do.	
(thrips).	Magnolia sp		-	1			Do.	
Do	Nerium oleander (olean- der).			1			Massachusetts.	
Do	Passiflora spp. (passion-flower).			1			New York.	
Haplothrips gowdeyi (thrips) Phenacoccus gossypii (Cocci- dae).	Daisy	1		1	1		Do. Do.	
Do	Daisy	1					Do.	
Prodenia sp. (Noctuidae)	Lilium spAmaryllis sp		1				Do. Do.	
Do	Dianthus sp. (carnation)		1				Do.	
D ₀	Lilium longiflorum (Easter lily).		1				Massachusetts.	
Vinsonia stellifera (Coccidae) Diseases:	Citrus sp		1				New York.	
Fusicladium eriobotryae	Eriobotrya japonica (lo-			2			Do.	
Gloeosporium oleandri	Nerium oleander (olean-				1		Massachusetts.	
Mosaic	der). Lilium longiflorum (East-		4				New York.	
Do	er 111y). Lilium longiflorum harrisii				1		Do.	
Phyllachora trifolii	(Bermuda lily). Trifolium sp. (clover)	1					Do.	
Phyllosiicta codiaeicola Phyllosticta hibisci	Codiaeum sp. (croton) Hibiscus sp.			1			Do. Do.	
Septoria drummondi	Phlox drummondi (drum-		1				Do.	
Septoria oleandrina	mond phlox). Nerium oleander (olean-				1		Virginia.	
Uromyces trifolii	der). Trifolium sp. (clover)	1					New York.	
Brazil								
Insects: Anastrepha grandis (Trypetidae).	Cucurbita pepo (pumpkin)_					1	Louisiana.	
Anastrepha sp. (Trypetidae)_ Asterolecanium aureum (Coc-	Citrus sinensis (orange) Cattleya labiata (orchid)	<u>i</u> -				1	Do. California.*	
cidae). Castnia sp. (Castniidae)	Cattleya sp. (orchid)	1					District of Co-	

		Nu	mber tio	of in		-p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
BRAZIL—Continued					1			
Insects—Continued. Chrysomphalus personatus (Coccidae). Dinoderus biforeolatus (Bostrichidae). Euscepes postfasciatus (West Indian sweetpotato weevil). Do. Gymnandrosoma sp. (Olethreutidae). Mordellistena sp. (Mordellidae). Do. Noctuid. Orthezia praclonga (Coccidae). Ortheia therapon (Casrniidae). Pachymerus nucleorum (Bruchidae). Pachymerus sp. (Bruchidae). Parlatoria fluggeae brasiliensis (Coccidae). Pectinophora gossypiella (pinkbollworm). Pscudaonidla trilobitiformis (Coccidae). Stephanoderes hampei (coffeeberry borer).	Citrus grandis (grapefruit) Serjania mexicana (barbasco). Ipomoca batatas (sweetpotato). do Citrus grandis (grapefruit) Cattleya labiata (orchid) Cattleya labiata (orchid) Cattleya sp Cattleya sp Orbignya sp. (oil palm) do Citrus sp Citrus sinensis (orange) Gossypium sp. (cottensed). Mangijera indica (mango) Coffea sp. (coffee) Cattleya sp. (orchid)	1		1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Maryland New York Louisiana. New York. Pennsylvania. California.* District of Columbia. Do. New York. District of lumbia. California.* Do.* District of Lumbia. Florida.* New York. Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	
Do	Lycopersicum esculentum Cattleya labiata (orchid) Orchid Orcidium erispum (orchid) Orcidium flexuosum (orchid). Ossypium sp. (cotton) (boll). Orchid Oncidium lengipes (orchid). Orchid Oncidium lengipes (orchid). Raphanus sativus (radish) Achlys triphylla (deer-foot)	1				1 1	lumbia. Pennsylvania. New York. California.* New York. California.* Do.* New York. District of Calumbia. California.* New York. Washington. Do.	
Insects: Aspidiotus destructor (Coccidae). Furcaspis biformis (Coccidae). Diseases: Dicherinia guianensis	Nipa fruticans (palm)			1			Puerto Rico. District of Columbia. New York.	

		Nun		of in		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Ваедаве	Quarters	Stores	Collected in
BRITISH HONDURAS							
Insects: Leucaspis cockerelli (Coccidae). Parlatoria crotonis (Coccidae).	Attalea cohune (cohune palm). Codiaeum sp. (croton)			1			Louisiana. Florida.*
BULGARIA Insects: Anthonomus rectirostris (Curculionidae). Frankliniella intonsa (thrips)	Prunus arium (sweet cherry). Gladiolus sp		1	1			District of Co- lumbia. New York.
CANADA Insects: Agriotes sp. (Elateridae)	Soil around roots of larch tree.			1			Massachusetts.
Do	Solanum tuberosum		1			1	Maryland. Massachusetts.
Arctiid Forficula auricularia (European earwig). Furcaspishiformis (Coccidae).	Bale of bagging Ramondia heldreichii Cattleya schroederae (or-	1	1				New York. District of Co- lumbia. California.*
Pyralidid Stephanoderes hampei (coffee	chid). Aster sp. Coffea sp. (coffee)		1	1			Washington. Minnesota.
berry borer). Taeniothrips simplex (gladio-lus thrips).	Gladiolus sp			2			Hawaii.*
Tortrieid	Iris sp Rosa sp	1 1	1	1			District of Co- lumbia. Washington.
Diseases: Alternaria dianthi	Dianthus sp		1				District of Co- lumbia. Washington.
Do. Chrysomyza piperiana Glocosporium ulmicolum Gnignardia raccinii.	do		1				Do. New York. District of Co- lumbia.
Plasmodiophora brassicae	Brassica campestris (ruta- baga).					1	Pennsylvania.
CANAL ZONE Insects: Acanthoscelides ar mitagei (Bruchidae). Furcaspis bijormis (Coccidae).	Cajanus indicus (pigeon pea). Epidendrum atropurpu- reum (orchid).		1				District of Co- lumbia. California.*
Do	Oncidium confusum (or-		1				District of Co- lumbia. California.*
D0	chid). Oncidium sp					-	District of Co-
Hemichionaspis minor stra- chani (Coccidae). Phelomerus aherrans (Bru-	Ceiba sp	1	1				New York. Hawaii.*
chidae). Stephanoderes guatemalensis (Scolytidae).	Ceiba sp	1	1				New York.
Vinsonia stellijera (Coccidae).	Orchid		1			-	District of Co- lumbia.
Diseases: Colletotrichum orchidearum	ius (orchid).		1			-	California.*
Gloeosporium affine	Schomburgkia luedeman- niana (orchid).	î	1			-	Do.*
Gloeosporium cinctum	Epidendrum stamfordia- num (orchid).	1	1		-		D0.

Julie 1955 SERVICE AND REGULATORI ANNOUNCEMENTS

List, by countries, of pests collected and reported from July 1, 1937, to June 30, 1938, inclusive—Continued

		Nu	nber tio	of in		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CANAL ZONE—Continued							
Diseases—Continued. Macrophoma oncidii Do	Oncidium ampliatum ma- jus (orchid). Schomburgkia luedeman- niana (orchid).		1				California. Do.*
Insects: Dacus sp. (Trypetidae) Serica sp. (Scarabaeidae) Scotinophara lurida (Pentatomidae) Vinsonia stellifera (Coccidae)	Citrus grandis (pomelo) Gossypium sp. (cotton) Oryza sativa (rice) Spathoglottis sp. (orchid) _		1			1	New York. Do. Pennsylvania. District of Co-
CHILE	Spaniogram of (oronia)						lumbia.
Insects: Jalloides sanguineonotata (Pentatomidae). Leptoglossus chilensis (Corei-	Vitis sp. (grape) Packing for grapes	1					New York. Do.
dae). Lygaeus alboornatus (Lygaei-	Excelsior packing for	1					Do.
dae). Nabis punctipennis (Nabidae) Olethreutid	grapes. Vitis sp. (grape) Amygdalus persica necta-	1 2					Do. Do.
Tortrieid Do	rina (nectarine)do Amygdalus persica (peach)_	3 1					Do. Do.
Diseases: Botrytis squamosa Rhizoctonia bataticola	Allium sativum (garlic)	1 6					Do. Do.
CHINA							
Insects: Aonidiella orientalis (Coccidae).	Litchi chinensis (lychee)			1			Hawaii.*
Bruchus chinensis (Bruchi-dae).	Bean			3			Do.*
Chilo simplex (Asiatic rice borer).	Case of merchandise with rice straw packing. Oryza sativa (rice) (straw	3					Washington. Massachusetts.
Do Chionaspis yanonensis (Coc-	packing)do	1				<u>-</u> -	Texas. Hawaii.*
cidae). Cylas formicarius (sweetpotato weevil).	Ipomoea batatas (sweet-potato).			1			Do.*
Fiorinia nephelii (Coccidae) Fiorinia proboscidaria (Cocci-	Litchi chinensis (lychee) Citrus grandis (pomelo)	1 1		1 1			Washington. Hawaii.* California.*
dae). Fiorinia theae (Coccidae) Formosaspis formosanus (Coccidae).	Citrus grandis (grapefruit)_ Bamboo	1		1			Washington. New York.
Do	Camellia sp	1		<u>i</u> -			Washington. Do.
cidae). Lepidosaphes tuberculata (Coccidae). Morganella longispina (Cocci-	Orchid	1		1			District of Co- lumbia.
dae). Odonaspis secreta (Coccidae)	Citrus grandis (pomelo) Bambusa sp. (bamboo)	1		1			Washington. District of Co-
Palaeopus costicollis (yam	Dioscorea sp. (yam)			1			lumbia. Washington.
weevil). Parlatoria camelliae (Cocci-	Camellia japonica (camel-			1			Do.
dae). Parlatoria ziziphus (Coccidae).	lia). Citrus aurantifolia (lime)					1	California.*
Do Do	Citrus grandis (pomelo) dodo			1 2		3	Do.* Massachusetts. Washington.
Do	Citrus sinensis (orange)					1	California.*

List, by countries, of pests collected and reported from July 1, 1937, to June 30, 1938, inclusive—Continued

		Nu	nber tio	of in	nterce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	· Collected in—
CHINA—Continued							
Insects—Continued. Pseudaonidia duplex (camphor scale). Trypetid	Camellia sp		1	1			Washington. District of Columbia.
Diseases: Aphelenchoides bicaudatus Aphelenchoides parietinus Do	Zingiber officinale (ginger)dodo	1 1 1					New York. Massachusetts. New York.
Bacterium citri Do Do Hexatulus n. sp	Citrus grandis (pomelo) Citrus sinensis (orange) do Zingiber officinale (ginger)	<u>-</u>		2	1	1	Washington. California.* Washington. New York. Do.
Phaeosphaerella ephedrae Phoma citricarpa Do Sclerotium rolfsii	Ephedra sp. (Mexican-tea) Citrus sinensis (orange) do Colocasia esculenta (taro)	9	1	1			California.* New York. California.*
Do Do	Sagittaria sagittifolia (old- world arrowhead).	$\frac{2}{2}$					Washington. California.* New York. California.*
DoStilbum incarnatum Do	Trapa sp. Eleocharis tuberosa (water- nut). do	1 1					California.* Do.* New York.
CHRISTMAS ISLAND							
Insects: Odonaspis ruthae (Coccidae)	Lepturus repens			1			Hawaii.*
COLOMBIA Insects: Asterolecanium aureum (Coccidae).	Cattleya trianae (orchid)	1			<u> </u> ~		California.*
DoCapaneus odiosus (Coreidae)	Cattleya sp. (orchid)	5 1					District of Co- lumbia.
Cholus cattleyarum (Curcu-	do	î . 1					California.*
Cholus sp. (Curculionidae)	Orchid debrisCattleya mendelii (orchid)	1 1 1					District of Co- lumbia. Washington. Do.
lionidae). Curculionid Eucactophagus weissi (Curcu-	Cattleya sp	1					District of Co- lumbia.
lionidae). Eucalandra setulosa (Curcu- lionidae). Eurytoma orchidearum (Eury-	Bamboo slats in case containing wild Cattleya sp. Cattleya gigas (orchid)	1					Do. California.*
tomidae). Do	Cattleya trianaeCattleya sp	1 3					Do.* District of Co- lumbia.
Exptochiomera tumens (Ly-gaeidae).	Cottlere size (cochid)	1					Do.
Furcaspis biformis (Coccidae). Do Do Do	Cattleya gigas (orchid)Cattleya spdoRodriguesia secunda (or-	1 3 1	1				California.* Do.* District of Columbia. California.*
Hoplandrothrips reynei (thrips).	chid). Cattleya dowiana (orchid)	. 1					Do.*
Iridomyrmex iniquus (ant) Do		3					District of Co- lumbia. Do.

		Nu		of in		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Colombia—Continued							
Insects—Continued. Iridomyrmex iniquus nigella (ant). Do	Cattleya trianae (orchid) Cattleya spdo	1 1 1					California.* Do.* District of Co-
Do	Orchid	1 1					lumbia. Washington. District of Co- lumbia. Maryland.
Metamasius sericeus (silky cane weevil). Minthea rugicollis (Lyctidae). Monanus concinnulus (Cucuidae)	Cattleya spdo	1 1					California.*
jidae). Mordellistena cattleyana (Mor- dellidae). Mordellistena chapini (Mor- dellidae).	do	1					District of Co- lumbia. Washington.
Mordellistena sp. (Mordellidae). Do	Cattleya dowiana (orchid) Cattleya sp	1 5					California.* District of Co-
Do Neella floridula (Miridae)	do Cattleya sp. (orchid)	6					lumbia. Washington. District of Co- lumbia.
Pseudaonidia tesserata (Coccidae). Sericus sp. (Elateridae) Silvanus vulgaris (Cucujidae).	Mammea americana (mamey). Miltonia sp. (orchid) Cattleya sp.	1 1		1			Florida.* Washington. California.*
Telephanus grossicornis (Cu- cujidae). Tenthecoris bicolor (Miridae) Do	Orchid	1 1 2					District of Co- lumbia. California.* District of Co-
Tineid Do Do	Cattleya trianae (orchid) Cattleya spdo	2 2 1					lumbia. Hawaii.* California.* District of Co-
Do	do Miltonia debris Oncidium sp. (orchid) Orchid Packing around orchids	3 1 1 1 1					lumbia. Washington. Do. Do. Do. California.*
Colletotrichum orchidearum Do	Cattleya sp. (orchid)	1 1					Do.* Do.*
Do Dendrodochium cattleyae Gloeosporium bidgoodii	Cattleya sp Odontoglossum harryanum	3	 <u>i</u> -				District of Co- lumbia. California.* Do.*
Gloeosporium cattleyae	(orchid). Cattleya sp	1					Do.*
COSTA RICA Insects: Anastrepha sp. (Trypetidae) Do	Mangifera indica (mango) - Psidium guajava (guava) - Brassavola nodosa (orchid) -			1 1			South Carolina. Louisiana.
Asterolecanium aureum (Coccidae). Do Do	Oncidium sp. (orchid)		1 1 1				District of Co- lumbia. Do. Do.
Conotrachelus sp. (Curcu- lionidae). Furcaspis biformis (Coccidae).	Orchid		1 1				Pennsylvania.
Iridomyrmex iniquus nigella (ant).	(orchid). Wild orchid		1				District of Co- lumbia. Do.
Leucaspis cockerelli (Coccidae).	Epidendrum atropur- pureum (orchid). Odontoglossum sp. (orchid)		1				Do.

		Nu	mber tion	of in	iterce	ep-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in	n—
COSTA RICA—Continued	•							
Insects—Continued. Macrosiphum luteum (aphid).	Orchid	1					District of	Co-
Metamasius sericeus (silky cane weevil).	Ananas sativus	. 1					lumbia. New York.	
Do Mordellistena sp. (Mordelli-	Banana debris Cattleya skinneri (orchid)	1	1				Louisiana. District of	Co-
dae). Platynota sp. (Tortricidae) Pseudischnaspis bowreyi (Coc-	Dendrobium sp. (orchid) Cattleya skinneri (orchid)	1	1				lumbia. Do. Do.	
cidaė). Do	Epidendrum costaricensis (orchid).		1				Do.	
Telephanus costaricensis (Cu- cujidae).	Herb	1					Texas.	
Telephanus melanchlorus (Cu- cujidae). Diseases:	do	1					Do.	
Uredo guacae	Epidendrum sp. (orchid)		1				District of lumbia.	Co-
CUBA Insects: Aleurocanthus woglumi (cit- rus blackfly).	Citrus aurantifolia (lime)			1			Florida.*	
Aleurodicus cardini (white-	Citrus sp Psidium guajava (guava)			1			Do.* Do.*	
fly). Anastrepha sp. (Trypetidae).	Amygdalus communis (almond).			1	÷		Do.*	
Do	Mangifera indica (mango) - Psidium guajara (guava) -			2			Do.* Do.*	
Do	Spondias mombin (hog- plum).			1			Do.*	
Aonidiella cocotiphagus (Coccidae).	Annona squamosa (sugarapple).			2			Do.*	
Do	Cocos nucifera (coconut) Ficus sp			3	1	1	Do.* Do.*	
Do	Palm			1			Do.* Do.*	
Do	Roystonea regia (royal palm).			12			Do.*	
Aspidiotus destructor (Coccidae).	Amygdalus communis (almond).			1			Do.*	
Do	Annona muricata (soursop) Annona squamosa (sugarapple).			1	2		Do.* Do.*	
Do	Cocos nucifera (coconut) Musa sp. (banana)	2		1			Do.* Do.*	
Do	Palm. Persea americana (avocado).	2		1			Do.* Louisiana.	
Do	Psidium guajava (guava) Roystonea regia (royal			1 11			Florida.* Do.*	
Aspidiotus herculeanus (Coccidae).	palm). Acacia sp			1			Do.*	
Aspidiotus palmae (Coccidae)	Livistona chinensis (Chinese fan palm).			1			District of lumbia.	Co-
Aspidiotus spinosus (Coccidae),	Mammea americana (mamey).		1	10			Florida.* District of	Co-
Asterolecanium aureum (Coccidae). Do	Brassia caudata (orchid) Epidendrum plicatum (or-		1				lumbia.	00•
Asterolecanium miliaris (Coc-	chid). Bamboo			1			Florida.*	
cidae). Bephrata cubensis (Eurytom- idae).	Annona muricata (soursop)				1		Do.*	
Bruchus rufipes (Bruchidae)	Vetch pod with rye straw jacket.	1					Louisiana.	

		Nu	mber tio	of in	nterce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
CUBA—Continued							
Insects—Continued. Ceutorhynchus sp. (Curculionidae). Chrysomphalus personatus (Coccidae). Coccidae).	Brassica chinensis (Chinese cabbage). Achras sapota (sapodilla)						New York.
Do							New York. Florida.*
Do	Citrus aurantifolia (lime) Citrus sp Coffea sp Gardenia florida (Cape- jasmine).			13	2	100	Do.* Do.* Louisiana.
Do	do Psidium guajava (guava) _ Hibiscus esculentus (okra) _	4		1			Florida.* Louisiana.
Cryptotermes brevis (termite)	Ananas sativus Ipomoea batatas (sweetpotato).	2 1		2		1	New York. Do. Florida.*
Diaphania sp. (Pyralididae)	Benincasa hispida (hairy squash).						New York. Do.
Do	Cucumis sativus (eucum- ber). Cucurbita maxima (squash)	1				1	Do. Louisiana.
Do	Saccharum officinarum						New York. Pennsylvania.
Do	Ananas sativusdodo _Chrysanthemum sp Antirrhinum majus (snap- dragon).	53		1 1			Louisiana. New York. Florida.* Do.*
Do Do	Aster sp Dahlia sp Gardenia florida (Cape- jasmine).			1 	2		Do.* Do.* Do.*
Do	Rosa sp. Dianthus sp. (carnation) Mammea americana (ma-			4 1 1	1		Do.* Do.* Do.*
Do	mey). Phaseolus lunatus macro- carpus (lima bean).	1					New York.
Do	Rosa sp	1		1			Florida.* New York.
dae). Gnorimoschema lycopersicella (tomato pinworm).	Lycopersicum esculentum	2					District of Co- lumbia. Louisiana.
Gynaikothrips uzeli (thrips) Do	Ficus indica (fig) Ficus sp. Gladiolus sp. Rosa sp. Brassica chinensis (Chi-			2	20		New York. Florida.* Louisiana.
Do_ Hellula sp. (Pyralididae)	Rosa sp_ Brassica chinensis (Chinese cabbage).	12			1		Florida.* New York.
Do	Brassica juncea (mustard). Brassica nigra (black mustard).	0					Do. Do.
Marmara sp. (Gracilariidae). Maruca testulalis (bean pod borer).	Citrus grandis (grapefruit) Phaseolus lunatus macro- carpus (lima bean).	1 135	1				Do. Do.
Metamasius sericeus (silky cane weevil). Parlatoria crotonis (Cocci-	Ananas sativus	1					Do. District of Co-
Parlatoria fluggeae brasiliensis (Coccidae).	Citrus sinensis (orange)			1			lumbia. Florida.*
Parlatoria ziziphus (Coccidae)	Citrus nobilis deliciosa (tangerine).			1			Do.*

		Nu	mber tion	of in	terce	p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
CUBA-Continued								
Insects—Continued. Phenacoccus gossypii (Coccidae).	Capsicum annuum	1					New York.	
Phyllophaga analis (Scarabae-	Ananas sativus	1					Do.	
idae). Pieris brassicae (Pieridae)	Brassica chinensis (Chi-	1					Do.	
Platynota rostrana (Tortricidae).	nese cabbage). Ananas sativus	3					Louisiana.	
Do	Cedrela sp. (log)	11 1					New York. Do.	
podidae). Prodenia sp. (Noctuidae) Do	Ananas sativus Brassica chinensis (Chinese cabbage).	1 6					Louisiana. New York.	
Do	Brassica oleracea capitata Lycopersicum esculentum	1 3					Do. Louisiana.	
Do	Solanum melongena (egg- plant).	1					New York. Do.	
Pseudaonidia tesserata (Coccidae).	Chalcas sp			1			Florida.*	
Pseudococcus boninsis (Coccidae).	Saccharum officinarum (on top of box car).						Do.*	
Do	Saccharum officinarum Brassica chinensis (Chinese cabbage).	1					Do.* New York.	
Stephanoderes brasiliensis (Scolytidae).	Phaseolus lunatus macro- carpus (lima bean).	1					Do.	
Taeniothrips simplex (gladi- olus thrips). Targionia bromeliae (Cocci-	Gladiolus sp	4			1		Louisiana. Florida.*	
dae). Do	do	4					New York.	
Targionia hartii (Coccidae)	Dioscorea sp. (yam)			5		1	Florida.* Pennsylvania.	
Targionia sacchari (Coccidae)_ Tortricid	Saccharum officinarum Ananas sativus	6		5			Florida.* Louisiana.	
Do	Capsicum annuum Hibiscus esculentus (okra)_	1 2					New York. Louisiana.	
Toxotrypana curvicauda (papaya fruitfly).	Carica papaya (papaya)			1			Florida.*	
Xyleborus propinquus (Scolytidae). Diseases:	Ananas satirus	1					Louisiana.	
Ceratostomella fimbriata Colletotrichum falcatum Colletotrichum truncatum	Xanthosoma sp. (malanga) Saccharum officinarum Phaseolus lunatus macro-	3					New York. Florida.* New York.	
Vermicularia capsici	carpus. Capsicum annuum					1	Louisiana.	
Diseases:							** ** ·	
Uromyces fabae	Vicia sp. (vetch)			1			New York.	
CYPRUS Insects:	In case containing tan-	1					Do.	
Ceratitis capitata (Mediter-ranean fruitfly).	erines and oranges. On paper wrapper of tan-	1					Do.	
Czechoslovakia Insects:	gerine.							
Anthonomus rectirostris (Cur- culionidae).	Prunus avium (mazzard)		1				District of Co-	
Baris lepidii (Curculionidae).	Radicula armoracia (horse-radish).	2	1				New York.	

						-		
		Nur	nber tion	of in	terce	p-	Collected in—	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores		
Czechoslovakia—Continued								
Insects—Continued. Bruchus brachialis (vetch bruchid). Do	Vicia villosa (hairy vetch) do Licia sp. (vetch) do Licia sp. (vetch) Holeus sorghum var. (broomcorn).	5 3 1 1 1 1 1 1 1 1 1	1 				Alabama. Georgia. Maryland. Pennsylvania. Virginia. Alabama. District of Columbia. Maryland. Virginia. Alabama. New York. Texas. New York. Do.	
Insects: Anthonomus rectirostris (Curculionidae). Bruchidius rillosus (Bruchidae). Do	Prunus padus (European bird cherry). Cytisus sp	1	1	1		1	Do. District of Columbia. New York. Do. Pennsylvania. New York, Do. District of Columbia. Do. Do. New York. Texas. New York. Massachusetts,	
tans (Trypetidae). Do. Apate monacha (Bostrichidae) Asterolecanium aureum (Coccidae). Do. Chrysomphalus dictyospermi var. (Coccidae). Chrysomphalus rossi (Coccidae). Do. Do. Cylas formicarius (sweetpotato weevil).	Spondias purpurea (purple mombin). Swietenia mahogani (mahogany). Epidendrum truncatum (orchid). Oncidium sp. (orchid). Persea americana (avocado) Ionopsis satyrioides (orchid) Oncidium turidum intermedium (orchid). Oncidium variegatum (orchid). Ipomoca balatas (sweetpotato).	1		1 1 1 4 1			Puerto Rico. Do. Do. Hawaii.* District of Columbia. New York. Hawaii.* Do.* Do.* New York. Puerto Rico.	

(All findings	marked with an asterisk ind	icate S	tate	inspe	ection	ıj		
		Nur	mber tion	of in	terce	p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
DOMINICAN REPUBLIC-Contd.								
Insects—Continued. Diaphania sp. (Pyralididae). Furcaspis biformis (Coccidae).	Chayota edulis (chayote) Ionopsis utricularioides (orchid).	8	<u>-</u> -				New York. Hawaii.*	
Galgupha guttiger (Cydnidae)	Oncidium luridum inter- medium.		1				Do.*	
Leucaspis cockerelli (Coccidae). Pectinophora gossypiella (pink bollworm).	Persea a mericana (avocado) Gossypium sp. (cotton) (boll).			1			New York. Do.	
Do	Cactus		1	1			Do. District of Co- lumbia.	
Tenebroides transcersicollis (Ostomidae). Xyleborus confusus (Scoly- tidae).	Swietenia mahogani (ma- hogany) (log). Mangifera indica (mango).	1		1			New York. Do.	
Diseases: Aphelenchoides parietinus Ceratostomella fimbriata	Xanthosoma sp. (malanga).	1 32					Do. Do.	
Colletotrichum cajani Schizophyllum commune	Cajanus indicus (pigeon pea). Swietenia sp. (mahogany)	1					Do.	
DUTCH EAST INDIES	(log).							
Insects: Stephanoderes hampei (coffee berry borer).	Coffea sp. (coffee)	1					Do.	
DUTCH GUIANA								
Insects: Aganectesis indecora (Pyra- lididae).	Cassia fistula (golden shower).			1			Louisiana.	
DUTCH WEST INDIES		1						
Insects: Bephrata maculicollis (Eurytomidae).	Annona muricata (sour-sop).			1			New York.	
Insects:							70	
Anastrepha sp. (Trypetidae)	Chrysophyllum cainito (star-apple).			1			Do.	
Coccus viridis (Coccidae) Stenoma sp. (Stenomidae) Xyleborus confusus (Scoly- tidae).	Citrus limetta (sweet lime). Persea americana (avocado) Cedrela odorata (cigarbox- cedar).	1				2	Do. Washington, New York,	
Diseases: Sclerotium rolfsii	Brassica rapa (turnip)					1	Washington.	
Insects: Chrysomphalus personatus	Palm				1		Maryland,	
(Coccidae). Curculionid	Beta vulgaris (beet)					1	Georgia.	
Pectinophora gossypiella (pink bollworm). Do	Gossypium sp. (cottonseed)	1			1		Alabama. Louisiana.	
Do	Citrus aurantifolia (lime)	4				1	New York. Do.	
Do	Brassica rapa (turnip) Citrus limonia (lemon)					1 1 1	Pennsylvania. Do. Do.	
ENGLAND Insects:								
Agriotes sp. (Elateridae) Do	Brassica rapa (turnip) Daucus carota (carrot) Soil around roots of oak tree.	1				1	Texas. Louisiana. Massachusetts.	
	0100.							

				mber tio	of in	terce	ep-		
Country of origin and name of pest		Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in—	
England-Continued									
Insects—Continued. Anaphothrips orchid	aceus Miltoni	a sp. (orchid)	. 1					District of Co-	
(thrips). Do	Phaius chid).	ashworthianus (or-	1					Hawaii.*	
Apion craccae (Curculio Breymatothrips iridis (th	nidae) Vicia st	o. (vetch)	1 2	2				New York. District of Co- lumbia.	
Bruchidius villosus (Br dae). Do	broon	scoparius (Scotch a). sp. (broom)		2				New York. District of Co-	
DoBruchus luteicornis (Br		ropaeus (gorse)	1	1				lumbia. Do. New York.	
dae). Bruchus rufipes (Bruch Ceutorhynchus pleuros (turnip gall weevil).	idae)do_ Brassica baga)	a campestris (ruta-	4				1	Do. Do.	
Do	Brassice	a rapa (turnip)					2	Pennsylvania. Louisiana.	
Do Do Do	do-		1 '				$\frac{1}{3}$	Maryland. New York. Pennsylvania.	
Do Curculio vengsus (Ci	ircu- Quercus	sp. (acorn)		1			3	Texas. District of Co-	
lionidae). Dialeurodes chittendeni dodendron whitefly).	(rho- Rhodode	endron sp	. 1		1			lumbia. Do.	
Diaspis zamiae (Coccide Do	Zamia i	amia denison ii ntegrifolia		1 1 1				Do. Do. Do.	
gaeidae). Forficula auricularia (I pean earwig).	Euro- Package natio	e containing car- ns, asters, and		1				New York.	
Hercinothrips errans (the		edium sp. (orchid)						District of Co-	
Leperisinus fraxini (Sco dae). Lepidosaphes tuberca	1	s sp. (ash) ium alexanderi (or-	1					New York. District of Co-	
(Coccidae). Do	chid).		1					lumbia. Do. Do.	
Lepidosaphes tubulo (Coccidae).	rumdo_		1					Do.	
Ludius sp. (Elateridae) Melanotus sp. (Elateridae)	ne) Odontog	a splossum grande (or-	1	1				Hawaii.* District of Co- bia.	
Merodon sp. (Syrphidae Micrelus ericae (Curcu dae).		sanguinea vulgaris (heather)		1				Do. New York.	
Myzús ornatus (aphid) _ Do		us sp		1				District of Co- lumbia.	
Do Do Do	Gentian Daisy	a cachemirica	1			1		Do. New York. Do.	
Do Myzus polyanthi (aphid	raria). Viola sp	o, (violet)			1 1			Do. Do.	
Oinophila v-flava (Oino dae). Parthenothrips draca	1	of liquordium sp. (orchid)			1			Do. District of Co-	
(thrips). DoPhilophylla heraclei (c	Palm	graveolens (celery)				1	3	lumbia. New York. Pennsylvania.	
fly). Psylliodes chrysocep (Chrysomelidae).	hala Brassica	rapa (turnip)					1	Louisiana.	
Do	do						2	New York. Pennsylvania.	

		Nui	nber tion	of in	terc	ep-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
England—Continued								
Insects—Continued. Rhizophagus ferrugineus (Rhizophagus ferrugineus (Rhizophagus). Sitona sp. (Curculionidae). Tueniothrips ericae (thrips). Thrips angusticeps (thrips). Thrips flavus (thrips). Thrips nigropilosus (thrips). Tipula sp. (Tipulidae). Tipulid. Tortricid. Do	Iris sp Erica sp. (heath) Aster sp. (cynara scolymus (globe artichoke). Papaver sp. (poppy) do Soil around plants Heliopsis sp Apium grateolens (celery) Heliopsis sp	1	1 1 1 1			1	District of Co- lumbia. Do. New York, Do. District of Co- lumbia. Do. Do. Do. Pennsylvania. District of Co-	
Do Do	Pittosporum sp Tsuga heterophylla (western hemlock),	1		1			lumbia. New York. District of Co- lumbia.	
Diseases: Aphelenchoides parietinus Coleosporium campanulae Colletotrichum orchidearum Coryneum microstictum Ditylenchus dipsact Do	Daucus carota (carrot) Campanula sp. (bell- flower). Orchid. Rosa odorata (tea rose) Allium cepa (onion). Brassica rapa (turnip)	1 1 1				1	Pennsylvania. District of Columbia. Do. New York. Pennsylvania. Do.	
Do	Helenium sp. (sneeze- weed). Iris sp		1 1 1 1	2		 1	District of Columbia. Do. Do. New York. Massachusetts. District of Co-	
Plasmodiophora brassicae Rhabdospora ramealis	Brassica rapa (turnip)		1			1	lumbia. Pennsylvania. District of Columbia.	
Do Rhytisma acerinum	Rubus sp		1			1	Do. New York.	
Sclerophoma strobiligena Sclerotinia fructigena Sclerotinia gladioli	Pinus montana mughus (mugho pine). Malus sylvestris (apple) Gladiolus sp		 4	1		1	Do. Pennsylvania. District of Co-	
Sphaerotheca mors-uvae Uromyces fabae	Ribes sp. (gooseberry)	3				1	lumbia. New York. Do.	
ESTONIA Insects: Bolitophagus reticulatus (Tenebrionidae).	Wood		1				Do.	
ETHIOPIA Diseases: Colletotrichum graminicolum FINLAND	Grass leaves used as packing,		1				Do.	
Insects: Coleophora sp. (Coleophoridae).	Betula intermedia		1				District of Co- lumbia.	
FRANCE Insects: Anuraphis cynariella (aphid).	Cynara scolymus (globe artichoke).					2	New York.	
Apion carduorum (Curculionidae). Apion ochropus (Curculionidae). Do	Vicia spdodo	1				3	Do. Alabama. Illinois.	

		Nur	nber tion	of in		p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
France—Continued								
Insects—Continued. Apion pomonae (Curculionidae).	Vicia sp	3					Alabama.	
D0 D0 D0	do dodo	1 1 3					Illinois. Louisiana. Massachusetts.	
Do	do do	$\begin{array}{c} 6 \\ 1 \\ 1 \end{array}$					New York. Pennsylvania. Puerto Rico.	
Athous sp. (Elateridae) Autographa sp. (Noctuidae)	Moss packing of orchid plants. Lactuca sativa longifolia	î				1	Hawaii.* New York.	
Baris sp. (Curculionidae) Bregmatothrips iridis (thrips).	(Romaine lettuce). Brassica rapa (turnip) Iris sp.	1				1	Do. District of Co-	
Bruchidius lividimanus var. (Bruchidae).	Cytisus sp		1				lumbia. Do.	
Bruchidius villosus (Bruchi-dae).	Spartium junceum (Spanish broom).		1				Do.	
Bruchus affinis (Bruchidae) Bruchus brachialis (vetch bruchid).	Lathyrus tuberosus		1				Do.	
Bruchus emarginatus (Bru- ehidae).	Vicia peregrinaVicia sp. (vetch)		1				Do. Do.	
Bruchus laticollis (Bruchidae) Bruchus luteicornis (Bruchidae).	Vicia angustifolia	1					Louisiana. New York.	
Do Do	Vicia sp. (vetch)dodo	1 3 10					Illinois. Massachusetts. New York.	
DoBruchus rufipes (Bruchidae)	Vicia sativa (vetch)	1	₁ -				Pennsylvania. District of Co- lumbia.	
Do Do	do Vicia sp. (vetch) do	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$					New York. Alabama. Louisiana.	
Do Do Bruchus tristis (Bruchidae)	do Lathurus tatifolius (ever-	56 1	1				New York. Texas. District of Co-	
Ceratitis capitata (Mediter- ranean fruitfly).	lasting pea). In carton with peaches			1 0			lumbia. New York.	
Ceutorhynchus pleurostigma (turnip gall weevil).	Brassica rapa (turnip)					1 2	Do. Texas,	
Chilo simplex (Asiatic rice borer). Coleophora sp. (Coleophori-	Oryza sativa (rice)					1	Michigan. New York,	
dae). Depressaria sp. (Oecophoridae).	Cynara scolymus (globe artichoke).					1	Do.	
Helophorus rugosus (Hydro- phylidae). Iridomyrmex melleus (ant)	Brassica rapa (turnip) Laeliocattleya hybrid	1				1	Do. Hawaii.*	
Do	Phalaenopsis sp. (orchid) Lilium candidum (Ma- donna lily).	1					Do.* New York.	
Do Do Mesites pallidipennis (Cur-	Lilium sp. (lily) do Juglans sp. (walnut)	1 1 1					Do. Pennsylvania. Virginia.	
culionidae). Myzus ornatus (aphid) Napomyza lateralis (Agromy-	Rosa sp. Cichorium intybus (wit-	1					New York.	
zidae. Phyllotreta nigripes (Chrysomelidae).	loof). Malus sylvestris (apple)	1			,		District of Co-	
Platypus australis (Platypodidae).	Log	1					Virginia.	

		Nur	nber	of in	terce		
			tion	is in-			
Country of origin and name of pest	Host	Cargo	Mail	Вавваво	Quarters	Stores	Collected in—
France-Continued							
Insects—Continued. Psylliodes chrysocephala (Chrysomelidae). Do	Brassica rapa (turnip)						Louisiana. New York,
Do	do do					1 1	Texas. New York.
philidae). Sitona sp. (Curculionidae)	Trifolium pratense (red clover).		1				Pennsylvania.
Thrips angusticeps (thrips) Do	Lactuca satira (lettuce) Lactuca satira longifolia (Romaine lettuce).					1	New York. Do.
Tychius quinquepunctatus (Curculionidae).	Vicia sp. (vetch)					1	Do. Washington.
Do	do	1				9	New York.
Aphelenchus arenae Ditylenchus dipsaci Ezobasidium raccinii	Cyclamen sp	2		1	1		Do. Do. Do.
Hormodendron cladosperioides_ Kuehnecla uredinis Leptosphaeria heterospora	Lycopersicum esculentum Rubus sp Iris sp		 1			1	Do. Do. District of Co-
Phyllachora trifolii Puccinia buzi Septoria alliorum	Trifolium sp. (clover) Burus sp. (box) Allium porrum (leek) Vicia sp. (vetch) do Iris sp.	1	1				lumbia. New York. Illinois. New York.
Uromyces fabae	Vicia sp. (vetch)	35 1		1			Do. Pennsylvania.
Vermicularia liliacearum	Iris sp		1				District of Co- lumbia.
GERMANY Insects: Anthonomus rectirostris (Cur-	Prunus arium sylvestris		1				Do.
culionidae). Apion pomonae (Curculionidae).	Vicia sp. (vetch)	1					Illinois.
Do Do	do _do Lathyrus sp	2	1				New York. Texas.
Bruchus affinis (Bruchidae) Bruchus brachialis (vetch	Vicia sp. (vetch)	}	6				District of Co- lumbia. Do.
bruchid). Do							New York.
Do Bruchus rufipes (Bruchidae)	do		1				Pennsylvania. New York.
Ceutorhynchus pleurostigma (turnip gall weevil).	dodododo					1	Pennsylvania.
Curculio nucum (Curculioni- dae). Ernobius abietis (Anobiidae)	Corylus sp. (hazelnut) Picea excelsa (Norway			1			New York. Do.
Do	spruce). Picea sp. (spruce)		1	-			District of Co-
Do	do		2		- -		lumbia. New York.
Do	Pinus sp. (pine)		1				Pennsylvania. New York.
Frankliniella intonsa (thrips) - Gastrodes abietum (Lygaei-	O do		1	1			Do. Do.
dae). Gastrodes ferrugineus (Lygae- idae).	do		1				Do.
Hypera postica (alfalfa weevil) Ips typographus (Scolytidae) Laspeyresia strobilella (Ole-	Medicago satira (alfalfa) Pinus sp Picea sp		 2	1 1 1			Do. Do. Do.
threutidae). Lecanium coryli (Coccidae) Do	Alnus maritima (seaside alder). Cornus sanguinea mietzschi		1				District of Co- lumbia.
DU	Corners congustion institution		1				20.

[All findings marked with an asterisk indicate State inspection]										
		Nui		of ir	terce	ep-				
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—			
GERMANY-Continued										
Insects—Continued. Leucaspis loewi (Coccidae) Micrelus ericae (Curculionidae).	Pinus sp Calluna vulgaris (heather)_		1		1		Pennsylvania. New York.			
Neuroterus albipes (Cynipidae).	Quercus sp. (oak)			1			Do.			
Pityogenes chalcographus	Pine bark strips on peat	1					Virginia.			
(Scolytidae). Plagiognathus chrysanthemi	moss. Medicago sativa (alfalfa)			1			New York.			
(Miridae). Serica brunnea (Scarabaeidae)	Soil around roots of rho- dodendron plants.	1					District of Co- lumbia.			
Sitona sp. (Curculionidae) Taeniothrips ericae (thrips) Tipula sp. (Tipulidae)	Daucus carota (carrot) Calluna vulgaris (heather)_ Soil around roots of edel-		1 2				Do. New York, Do.			
Trionymus peregrinus (Coccidae).	weiss plants. Haworthia fasciata		1				California.*			
Diseases: Aphelenchoides fragariae	Convallaria majalis (lily- of-the-valley).	42		2			New York.			
Aphelenchoides limberi	Dahlia sp	1					District of Co- lumbia.			
Aphelenchoides parietinus Do	Araucaria excelsa (Norfolk- Island-pine). Convallaria majalis	1		1			New York.			
Aphelenchus avenae	do	1		1			Do.			
Cephalobus persegnis Discella carbonacea	Salix sp. (willow) Convallaria majalis	1		1			Do. Do.			
Ditylenchus dipsaci	Convallaria majalis Solanum tuberosum	8				1	Do. Alabama.			
Do Erysiphe umbelliferarum	Pastinaca sativa (parsnip)		₁ -			1	Texas. District of Co-			
Gloeodes pomigena Macrophoma candollei Pestalozzia funerea	Malus sylvestris (apple) Buxus sempervirens (box) Pseudotsuga taxifolia			 1 1		1	lumbia. Louisiana. New York. Do.			
Phomopsis conorum var. navi- culispora.	(douglas fir). Picea excelsa (Norway spruce).			1			Do.			
Phragmotrichum chailletii Phyllosticta auerswaldii	Burus sempervirens (box)			1			Do. Do.			
Pratylenchus pratensis Puccinia phragmitis	Convallaria majalis (lily- of-the-valley). Phragmites communis	37		1			Do. Do.			
Ramularia tulasnei Rhytisma acerinum	(reed grass). Fragaria sp. (strawberry) Acer palmatum (Japanese			1			Do. Do.			
Sclerophoma strobiligena	maple). Picea excelsa (Norway			1			Do.			
Septoria citri	spruce). Citrus sinensis (orange)				1		Pennsylvania.			
Sporonema oxycocci Sporonema strobilinum	Vaccinium sp. (cranberry) - Picea excelsa		1	1 1			New York. Do.			
Do	Picea sp. (spruce) Araucaria excelsa (Norfolk-Island-pine).		1	1			Do. Do.			
Uromyces fabae Vermicularia varians Verticillium albo-atrum	Vicia sp. (vetch) Solanum tuberosum	1				1	Do. Alabama.			
Volutella buxi	Dahlia sp		1	1			District of Co- lumbia. New York.			
Insects: GREECE Ceratitis capitata (Mediter-	Cydonia oblonga (quince)			7			Do.			
ranean fruitfly). Do	Punica granatum (pome-			1			Do.			
Do	granate). In basket containing quinces and pomegranates.			1			Do.			
Do	On paper wrapper around peaches.]		1			Do.			

		Nur	nber tion	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Greece-Continued							
Insects—Continued. Cryptoblabessp. (Pyralididae) Elater sp. (Elateridae) Myelois sp. (Pyralididae) Olethreutid Parlatoria oleae (Coccidae) Do.	Punica granatum_ Soil around iris rhizomes. Punica granatum (pome- granate). Cupressus sp. (cypress) Malus sylvestris (apple) Olea europaea (olive).		1	1 1 2		 1	New York, Do. Do. Do. Do. District of Co-
Do Pollinia pollini (Coccidae)	Pyrus communis (pear) Olea europaea		1	1			lumbia. New York. District of Co-
Pseudococcus boninsis (Coccidae).	Saccharum officinarum			1			lumbia. New York.
Diseases: Botrytis allii	Allium cepa (onion)	1					Do.
GRENADA Insects: Pectinophora gossypiella (pink	Gossypium sp. (cotton-			1			Massachusetts.
bollworm).	seed).						1120030011000000
GUADELOUPE Insects: Vinsonia stellifera (Coccidae)	Mangifera indica (mango)			1			Puerto Rico.
GUATEMALA							
Insects: Acanthoderes circumflexa (Cerambycidae).	Tabebuia donnell-smithii (primavera) (log).	1					New York.
Aspidiotus destructor (Coccidae).	Cocos nucifera (coconut)			1			Louisiana.
Aspidiotus palmae (Coccidae) – Cyparium terminale (Scaphi- diidae).	Oncidium cavendishianum (orchid).	1		1			Do. California.*
Eurycipitia vestitus (Miridae) Do	Oncidium splendidum (orchid).	1					Do.* Do.*
Forficula auricularia (European earwig).	Eugenia axiliaris (guaya- can) (log).	1					Do.*
Furcaspis biformis (Coccidae). Do	Cattleya aurea (orchid) Cattleya trianae (orchid)			1			Do.* Do.*
Haplothrips gowdeyi (thrips) Ligyrocoris oblitus (Lygaei- dae).	Statice sp. (thrift)Oncidium sp. (orchid)	1					District of Co-
Macrosiphum luteum (aphid)_ Do	Brassia verrucosa (orchid)_ Epidendrum vitellinum (orchid).	1					California.* Do.*
Do	Oncidium cavendishianum (orchid).	2					Do.*
Do	Orchid Banana debris	1					District of Co- lumbia. Louisians.
cane weevil). Do Do	do Musa sp. (banana)	1 1				4	Texas. Maryland.
Metamasius sericeus carbona- rius (Curculionidae).	Banana debris	1					Texas.
Do Mordellistena cattleyana (Mor- dellidae).	Musa sp. (banana)Oncidium sp. (orchid)	1 1					Maryland. District of Co- lumbia.
Mordellistena sp. (Mordelli- dae). Platypus emarginosus (Platy-	Cattleya sp. (orchid) Tabebuia donnell-smithii	1				1	Do. New York,
podidae). Platypus rugulosus (Platy-	(primavera) (log).	5					Do.
podidae). Pycnarthrum lambottei (Sco-	do	1					Do.
lytidae). Silvanus vulgaris (Cucujidae)_	do	1					Do. *

		Nu	nber tio	of in	terce	ep-	-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
GUATEMALA—Continued								
Insects—Continued. Stenoma sp. (Stenomidae) Tineid Xenomyrmex stolli mexicanus (ant). Xestocoris collinus (Lygaeidae). Xyleborus affinis (Scolytidae). Xyleborus onfusus (Scolytidae). Xyleborus propinquus (Scolytidae). Xyleborus propinquus (Scolytidae). Diseases: Cercospora musae Colletotrichum orchidearum Do Do Gloeosporium oncidii Do Heterosporium echinulatum Macrophoma orchidecolu Physalospora orchidearum GUERNSEY Diseases: Ditylenchus dipsaci HAITI Insects: Anastrepha mombinpraeoptans (Trypetidae). Anastrepha sp. (Trypetidae). Frankliniella in sularis (thrips) Xyleborus affinis (Scolytidae).		1 1 1 1 1 1 1 1 1 1 1 1 1 1 5 5					Pennsylvania. California.* Do. District of Columbia. New York. Do. Do. Massachusetts. California.* Do.* Do.* Texas. California.* Do.* Massachusetts. Maryland. Florida.* New York. Maryland.	
HAWAII	Mangijera inaica				1		Maryland.	
Insects: Adoretus sinicus (Scarabaeidae).	Rosa sp						California.*	
Amorbia emigratella (Tortricidae).	do			1			Do.*	
Aonidiella inornata (Coccidae).	Piper betle (betel pepper)						Do.*	
Caryedon fuscus (Bruchidae)	Cascara sagrada (cascara) Cassia fistula (golden- shower).			1			Do.* Do.*	
Do Do Ceratitis capitata (Mediter- ranean fruitfly).	Cassia sp			1		1	Washington. California.* Guam.	
Do	Coffea sp. (coffee)			2		1	California.* Do.* Do.*	
Ceroplastes rubens (Coccidae) Chrysomyza demandata (Otiti-	cado). Alyxia olivaeformis (maile). Soil			6			Do.* Do.*	
dae). Clerada apicicornis (Lygaeidae).				1			Do.*	

List, by countries, of pests collected and reported from July 1, 1937, to June 30, 1938, inclusive—Continued

[All findings marked with an asterisk indicate State inspection]										
		Nur	nber tion	of in	terce	p-				
Country of origin and name of pest	Host	Cargo	Mail	Ваggage	Quarters	Stores	Collected in—			
Hawaii—Continued										
In sects—Continued. Coccus viridis (Coccidae) Do	Coffea sp. (coffee) Gardenia florida (Cape- jasmine).			1 23	1		California.* Do.*			
Dialeurodes kirkaldyi (white-fly).	do			4	1		Do.*			
Diocalandra taitensis (Tahi- tian coconut weevil). Ereunetis flavistriata (sugar-	Cocos nucifera (coconut)			9			Do.* Do.*			
cane bud worm) Haplothrips gowdeyi (thrips) Do	Calotropis gigantea			9			Do.* Do.*			
Do Do	Dianthus sp. (carnation) Flower leis Gomphrena globosa (globe-			6 9 5			Do.* Do.*			
Do	amaranth). Jasminum sambac (Arabi-			1			Do.*			
Do Lampides baetica (Lycaeni-	an jasmine). Solidago sp. (goldenrod) Canavalia sp			1 12			Do.* Do.*			
dae). Lepidosaphes lasianthi (Coc-	Codiaeum sp. (croton)				1		Do.*			
cidae). Lepidosaphes uniloba (Coccidae).	Alyxia olivaeformis (maile)			15	1		Do.*			
Leucaspis cockerelli (Coccidae).	Hylocereus undatus (cac-tus).						Do.*			
Maruca testulalis (bean pod borer).	Canavalia sp		0	12	1		Do.*			
Do	Dioclea violacea Cocos nucifera (coconut)			1 5			Do.* Do.*			
Plagiolepis mactavishi (ant) Pseudaonidia clavigera (Coc- cidae).	Ornamental plant Bougainvillea sp			1			Do.* Do.*			
Do	Hibiscus sp		2	3			Do.*			
Do Pseudococcus kraunhiae (Coc- cidae).	Hibiscus sp			3 2			Do.* Do.*			
Ripersia palmarum (Coccidae).	Cocos nucifera (coconut)	- 21		31			Do.*			
Sternochetus mangiferae (man- go weevil).	Mangifera indica (mango)			8	2		Do.* Washington.			
Do	do Canavalia sp		1	1			California.*			
Do	Dianthus sp. (carnation)			13	2		Do.*			
Do Do Do	Gladiolus sp			1			Do.* Do.*			
Taeniothrips simplex (gladi- lus thrips).	amaranth). Dianthus sp. (carnation)			1			Do.*			
Tineid Diseases:	Ananas sativus					1	Washington.			
Uromyces alyxiae	Alyxia olivaeformis (maile)			9			California.*			
HONDURAS Insects:										
Anastrepha sp (Trypetidae)	Mangifera indica (mango)						Louisiana. New York.			
Brentus anchorago (Brenti- dae). Brentus armiger (Brentidae)	Tabebuia donnell-smithii (primavera) (log).	1					Do. Do.			
Brentus mexicanus (Brenti-	do						Do.			
Cosmopolites sordidus (banana root borer).	Musa sp. (banana) (root)						Do.			
Metamasius sp. (Curculionidae).	do			1			Do.			

		Nur	nber tion	of in	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Honduras-Continued							
Insects—Continued. Stenoma sp (Stenomidae)	Persea americana (avoca-			1			New York.
Targionia bromeliae (Coccidae).	Ananas sativus			1			Do
Do	Saccharum officinarum	1		1			Louisiana. Do. New York.
Diseases: Cercospora musae	Musa sp. (banana)	1					South Carolina.
HUNGARY				٤.	ter a f		e de Maria
Insects: Aelia acuminata (Pentatomi-	Vicia villosa (hairy vetch)	1			-,	22	Louisiana.
dae). Bruchus brachialis (vetch) bruchid).	Vicia sativa (vetch)		1				Pennsylvania.
Do Do	Vicia villosado	9	2				Alabama. District of Co-
Do	do	1					lumbia. Georgia.
Do Do	do	4	3				Maryland. New York.
D0	do	1 7					Virginia.
D0			4				District of Co-
Do	do	2					Louisiana.
D0	do	3	2				Maryland. New York.
Do	do	4	1				Pennsylvania.
Do	do	î					South Carolina.
Do	do	3					Virginia.
Bruchus rufipes (Bruchidae)	Vicia sativa (vetch)	1					New York.
Do	Vicia villosa (hairy vetch). Vicia sp. (vetch)	1					Alabama.
Do	Vicia sp. (vetch)		1				District of Co-
Do	do	5					lumbia. Louisiana.
Do	do	5 2					Maryland.
Do	do	1					Massachusetts.
Do	do	5					New York.
Do	do	1					Pennsylvania.
Bucculatrix sp. (Lyonetiidae)	Mespilus sp	_ 1					District of Co- lumbia.
Chaetopsis julvifrons (Ortalidae).	Vicia sp. (vetch)						Louisiana.
Eurygaster hottentotus (Pen- tatomidae).	do	1					Do.
Pyrausta nubilalis (European corn borer).	Holcus sorghum var. (broomcorn).	2					New York.
Sitona sp. (Curculionidae) Diseases: Fusicladium depressum	Vicia villosa (hairy vetch) Foeniculum sp. (fennel)	1					Do.
Gloeodes pomigena	Malus sylvestris (apple)			1			Do.
India							,
Insects: Adiscodiaspis tamaricola (Coc-	Tamarix sp		1				District of Co-
cidae). Aonidiella orientalis (Coccidae).	Dalbergia sissoo (shisham)_		1				Do.
Callosobruchus chinensis (Bruchidae).	Pisum sp		1				Hawaii.*
Do	Mixed grain and paddy					1	Massachusetts.
Caryedon fuscus (Bruchidae)	rice. Cassia fistula (golden-shower).	1					New York.

		Nur	nber tion	of in is in-		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
INDIA Continued							
Insects—Continued. Cylas formicarius (sweetpotato weevil). Dialeurodes citri (citrus whitefly). Dicrepidius sp. (Elateridae) Elaterid	Ipomoea batatas (sweet-potato). Cinnamomum tamala	2 1	1			1	Massachusetts. District of Columbia. California.*
Episcaphula elongata (Eroty-	chid). Cymbidium lowianum	1					Do.*
lidae). Lophocateres pusillus (Siam-	Mixed grain and paddy					2	Massachusetts.
ese grain beetle). Parlatoria cinerea (Coccidae)	rice. Citrus limonia (lemon)	1					District of Co- lumbia.
Parlatoria oleae (Coccidae)	Eriobotrya japonica (loquat).	1					Do.
Parlatoria pseudaspidiotus (Coccidae).	Vanda teres andersonii (or- chid).		1				Do.
Pseudococcus theaecola (Coccidae). Ptinus tectus (Ptinidae)	Hedychium gardenerianum (Indian ginger-lily). Cymbidium lowianum (or-	1	1				Do. California.*
Diseases: Fusicladium depressum	chid). Foeniculum vulgare (fen-	1					New York.
Mycosphaerella calceoli (?)	nel). Cymbidium giganteum (or-	1					California.*
Physalospora orchidearum	chid). Cymbidium eburneum (or-		1				Do.*
Rhizoctonia bataticola	chid). Ipomoea sp		1				District of Co-
Insects:							lumbia.
Acalypta parvula (Tingiti-	Calluna vulgaris (heather)			1			New York.
Apion pomonae (Curculionidae).	Vicia sp. (vetch)	1					Do.
Apion ulicis (Curculionidae) Forficula auricularia (Euro- pean earwig).	Ulex sp. (furze)			1 1			Do. Do.
Laspeyresia sp. (Olethreuti-	Ulex sp. (furze)			1			Do.
Lecanium coryli (Coccidae)	Populus vernirubens		1				District of Co- lumbia.
Mecinus pyraster (Curculionidae).	Malus sylvestris (apple)			1			New York.
Megophthalmus scanicus (Ci- cadellidae). Micrelus ericae (Curculioni-	Trifolium repens var. (shamrock). Soil around heather		1	1			Massachusetts. New York.
dae). Orthezia cataphracta (Cocci-			1				Pennsylvania.
dae). Do	Soil and moss used as packing for shamrocks. Trifolium repens var		1				District of Co-
Do Ulopa reticulata (Cicadelli- dae).	Soil around roots of rose bush.		1	1		1	lumbia. New York. Massachusetts.
Diseases: Sclerotinia gladioli	Gladiolus sp		1				District of Co-
Vermicularia varians	Solanum tuberosum			1			lumbia. Massachusetts.
ITALY							
Insects: Agallia venosa (Cicadellidae) Agriotes sp. (Elateridae) Anuraphis cynariella (aphid)	Mentha sp. (mint) Daucus carota (carrot) Cynara scolymus (globe						New York. Do. Do.
Apion carduorum (Curculi-	artichoke).			1			Do.

170314-39---5

List, by countries, of pests collected and reported from July 1, 1937, to June 30, 1938, inclusive—Continued

		Nui		of ir	terc	ep-	
Country of origin and name of pest	Host		Mail	Baggage	Quarters	Stores	Collected in—
ITALY—Continued							
Insects—Continued. Apion pomonae (Curculioni-	Lathyrus sp	1					New York
dae). Do Aspidiotus spinosus (Cocci-	Vicia sp. (vetch)	1		1			Do. Do.
dae). Asterolecanium thesii (Cocci-	Pittosporum sp				1		Do.
dae). Brachycerus sp. (Curculionidae).	Allium sativum (garlic)		1				Pennsylvania.
Bruchidius lividimanus (Bruchidae).	Cytisus sp. (broom)	1					New York.
Bruchidius villosus (Bruchidae).	Spartium junceum (Spanish broom).						Do.
Bruchus brachialis var. (Bruchidae). Bruchus brachialis (vetch bru-	Vicia sp. (vetch)						Do. Pennsylvania.
chid). Bruchus laticollis (Bruchidae). Bruchus luteicornis (Bruchi-	do Vicia angustifolia (vetch)	3 1					New York. Do.
dae). Bruchus rufipes (Bruchidae). Bruchus signaticornis (Bru-	Vicia sp. (vetch) Lens esculenta (lentil)	6	3				Do. Do.
chidae). Bruchus tristiculus (Bruchidae).	Lupinus albus (white lupine). Vicia faba (fava bean)		2				Massachusetts.
Do							District of Co- lumbia. New York.
Do	Vicia sp. (vetch) Lathyrus sativus(grass pea) do	1 3					Illinois. New York.
Do	Pisum sativum (pea) Vicia faba (fava bean)		1				Massachusetts. District of Co- lumbia.
Bruchus viciae (Bruchidae) Bucculatrix sp. (Lyonetiidae) Ceratitis capitata (Mediter-	Vicia sp. (vetch) Pinus sp. (pine) Amygdalus persica (peach)	1			2		New York. Do. Do.
Ceratitis capitata (Mediter- ranean fruitfly).	Citrus medica (citron)	1					Do.
Do	Citrus nobilis deliciosa (tangerine).			5		1	Massachusetts. New York.
Do	Citrus sinensis (orange) Crataegus sp. (hawthorn) Cydonia oblonga (quince)	1			1		Texas. New York.
Do				1			Maryland. New York.
Do Do	Diospyros sp. (persimmon) In bag containing oranges In box containing tanger-		1	5 1			Do. Do. Pennsylvania.
Do	ines. In tray of trunk containing pricklypears and			1			New York.
Do	tangerines. In trunk containing olives, oranges, pomegranates, pricklypears, and quinces.			1			Do.
D ₀	Opuntia compressa (prick- lypear).			5			Do.
Do	Punica granatum (pome-			1			Do.
DoCeroplastes rusci (Coccidae)	Ficus sp. (fig.)		1	1			Do. District of Co- lumbia.
Ceutorhynchus quadridens (Curculionidae).	Brassica rapa (turnip)			1	1		New York. Do.

	marked with all asterisk ind	,					
		Nur	nber tion	of in as in-	terce	p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
ITALY—Continued							
Insects—Continued. Ceutorhynchus rapae (Curcu-	Brassica oleracea capitata					1	New York.
lionidae). Chionaspis yanonensis (Coc-	Citrus limonia (lemon)					1	California.*
cidae). Chrysomphalus dictyospermi	Cycas revoluta (sago cycas)_			1		_	New York.
var. (Coccidae).				_		1	
Cleonus sp. (Curculionidae)	Radicula armoracia (horse- radish).						Do.
Cryptoblabes sp. (Pyralidi-dae).	Amygdalus communis (almond).			1			Do.
Do	Punica granatum (pomegranate).		1	3			Do.
Curculio elephas (Curculioni- dae).	Castanea sp. (chestnut)		1				Illinois.
Do	do		1				Massachusetts. Pennsylvania.
Do Dacus oleae (olive fruitfly) Do	Olea curopaea (olive)		3	-11-			Massachusetts. New York.
. Do	In trunk containing olives, oranges, pomegranates, pricklypears, and quinces.			1			Do.
Do				1		1	Do. Do.
Gnorimoschema sp. (Gelechii-	Beta vulgaris cicla (Swiss chard).					1	Do.
Grapholitha sp. (Olethreuti-	Cydonia oblonga (quince)	1	ì	1			Do.
Do Do	Malus sylvestris (apple) Pyrus communis (pear)					1	Pennsylvania. New York. Do.
Hypoborus ficus (Scolytidae) Iridomyrmex humilis (Argen-	Ficus sp. (fig) Diospyros sp. (persimmon)			1			Do. Do.
tine ant). Laspeyresia splendana (Olethreutidae).	Castanea sp. (chestnut)	ł	1				District of Co- lumbia.
Do	do	1	1				Illinois. Massachusetts.
Do	do Ficus sp. (fig)	3	1	2			New York. Pennsylvania.
Lepidosaphes ficus (Coccidae) _ Do	Ficus sp. (fig)		6				California.* District of Co- lumbia.
Do	do			4	3-		New York. Do.
Liparus coronatus (Curcu- lionidae).						1	Texas.
Ludius sp. (Elateridae)	Tragopogon porrifolius (salsify).					1	New York.
Merodon sp. (Syrphidae)	Gladiolus sp.						District of Co- lumbia.
Monosteira unicosta (Tingiti- dae).	Castanea sp. (chestnut)			1			New York.
Myelois sp. (Pyralididae)	Amygdalus communis (almond).			1			Do.
Do	Ceratonia siliqua (St. Johns-bread).	1					Illinois.
Do Do	do		1 1				Maryland. New York.
Do	Citrus nobilis deliciosa (tan-		1				Pennsylvania.
D ₀	Juglans regia (English walnut).						New York.
Do Do	Juglans sp. (walnut) Mespilus germanica (med- lar).		2	1			Massachusetts. New York.
Do	Punica granatum (pome-granate).			3			Do.

[All findings	marked with an asterisk ind	icate s	tate	шѕре	00110	пј	
		Nur	nber tion	of in as in-	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	· Collected in—
ITALY—Continued							
Insects—Continued. Myzus ornatus (aphid)	Bela vulgaris cicla (Swiss					1	New York.
Olethreutid Parlatoria camelliae (Coccidae).	chard). Vicia sp. (vetch)	1 1					Do. District of Co
Do	Citrus sinensis (orange) Diospyros sp. (persimmon) Malus sylvestris (apple) Mespilus germanica (med-			1 1 1 1		1 1	New York. Pennsylvania. New York. Do. Do.
Do	lar). Prunus armeniaca (apri-			1			Do.
Do Do	cot). Prunus domestica (plum) Prunus sp. (cherry) Prunus sp.		1	1 1			Do. Do. District of Co-
Do	Pyrus communis (pear) Rosa sp	1		3			lumbia. New York. District of Co-
Do	Sorbus sp. (sorbe apple) Citrus limonia (lemon) dodo		1	1		5	lumbia. New York. California.* Illinois.
Do	dodo	1	1	1		2 1	New York. Pennsylvania. Illinois.
Picris brassicae (Pieridae) Polychrosis botrana (vine	Brassica oleracea botrytis (broccoli). Vitis sp. (grape)			 1		1	New York.
moth). Pseudaonidia paeoniae (Coccidae).	Camellia japonica (camellia).	1					District of Co-
Psylliodes chrysocephala (Chrysomelidae).	Brassica oleracea botrytis (broccoli). Brassica rapa (turnip)					1	New York. Do.
Pyrausta nubilalis (European corn borer). Do	Capsicum annuum		1			î	Do. Massachusetts.
Silvanus unidentatus (Cucuji- dae). Stenocarus fuliginosus (Cur-	Foeniculum sp. (fennel) Jug'ans regia (Persian wal- nut) (log). Cichorium intybus (chic-	1					New York.
culionidae). Stephanitis puri (pear tingid)	Ory).			1		1	Do.
Taeniothrips atratus (thrips) Tortricid Do Do Do Do	Juniperus sp. (juniper) Dianthus sp. (carnation) Diospyros sp. (persimmon) Pyracantha coccinea (fire-		1	1			Do. Do. Do.
Do	thorn). Vitis sp. (grape) Juglans regia (Persian wal-	1		1		1	Do. Pennsylvania. New York.
Diseases: Aphelenchoides parietinus	nut) (log). Soil around roots of cen-			1			Do.
A phelenchus anemae	tury plant.					1	Pennsylvania.
Botrytis allii (?) Cercospora foeniculi Coleosporium senecionis (?)	Solanum tuverosum Allium cepa (onion) Foeniculum sp. (fennel) Pinus halepensis (aleppo pine).				1	1 1	Do. New York. Do.
Coryneum beyerincki	Prunus sp		1				District of Co-
Fusicladium depressum petro- selini. Fusicladium eriobotryae	Petroselinum hortense (parsley). Eriobotrya japonica (lo-			1		1	New York. Do.
Gloeodes pomigena Gloeosporium olivarum	quat). Malus sylvestris (apple) Olea europaea (olive)			1 1			Do. Do.

	I I I I I I I I I I I I I I I I I I I	1				-,	1
		Nui	mber tion	of in		ep-	
Country of origin and name of pest	Host	Cargo	li	Baggage	Quarters	Stores	Collected in—
		Ca	Mail	Ba	o _o	Sto	
ITALY-Continued							
Diseases—Continued. Herpotrichia nigra	Picea excelsa (Norway				1		New York.
•	spruce).				1		
Leptosphaeria rusci Macrophoma hippoglossum	Ruscus sp	1			1		Pennsylvania. New York.
Marsonia juglandis	Juglans sp. (walnut)			1	1		Do. Do.
Oidium euonymi Peronospora parasitica	Euonymus sp Brassica oleracea gemmifera (Brussels sprouts).					1	Pennsylvania.
Phoma hippoglossi Phoma samararum	Ruscus sp. Fraxinus excelsior (Euro-	1			1		New York. Do.
Phomopsis aucubae	pean ash). Aucuba japonica (Japa-				1		Do.
Phomopsis tinea	nese aucuba). Viburnum tinus (laurestinus).	1					Do.
Phyllachora trifolii	Trifolium sp. (clover)	;-		1			Do.
Phyllosticta danoes Phyllosticta ruscicola	do	6			1		Pennsylvania. New York.
Do Do	Ruscus aculeatus (butchers	6			<u>i</u> -		Pennsylvania. New York.
Do	broom).	1					Pennsylvania.
Puccinia allii Puccinia anomala	Allium sativum (garlic) Hordeum vulgare (barley)_ Stellaria media (chickweed)		;-			4	Do.
Puccinia anomaia Puccinia arenariae Rotylenchus robustus	Stellaria media (chickweed)			1			New York. Do.
	Sou around roots of cen-		1	1			Do.
Sclerotinia fructicola Sclerotinia gladioli	tury plant. Cydonia oblonga (quince) Gladiolus sp		1	1			Do. District of Co- lumbia.
Sclerotium cepivorum	Allium cepa (onion)					1	Pennsylvania. Virginia.
Do Septoria anthrisci	Anthriscus cerefolium (cher- vil).					2	Pennsylvania.
Septoria citri	Citrus limonia (lemon)					1	Texas. Do.
Do	Citrus sinensis (orange)			1		<u>i</u> -	New York. Pennsylvania.
Sphaeropsis malorum	(turnip-rooted chervil). Vitis sp. (grape)			1			New York.
Uromyces fabae Vermicularia varians	Vitis sp. (grape) Vicia sp. (vetch) Solanum tuberosum	9				<u>-</u> -	Do. Texas.
Verticillium albo-atrum Do	Dahlia sp		1	1			New York. District of Co-
Jamaica	1 10 at 5p		1				lumbia.
Insects:	Manaifera indiaa (menas)			3	1		Now Voult
Anastrepha sp. (Trypetidae) Aspidiotus herculeanus (Coc- cidae).	Mangifera indica (mango) Annona sp			1			New York. Do.
Caryedon fuscus (Bruchidae)	Tamarindus indica (tama- rind).		1	1			Do.
Coccus viridis (Coccidae)	Coffea spdo			1			Florida.* New York.
Cylas formicarius (sweetpo- tato weevil).	Ipomoea batatas (sweetpo- tato).			••••		1 2	Alabama. New York.
Frankliniella cephalica (thrips) Frankliniella insularis (thrips)	Rosa sp			1	2		Florida.* Do.*
Do	Rosa sp. Punica granatum (pome-			1	1		Do.* New York.
Palaeopus costicollis (yam weevil).	granate). Dioscorea sp. (yam)			3			Do.
Do	Ipomoea batatas (sweetpo-					1	Do.
			1			1.0	

		Nur		of in		p-	
Country of origin and	TT /		tion	s in-			Gallanta I in
name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Jamaica—Continued							
Insects—Continued. Parlatoria crotonis (Coccidae). Pinnaspis minor strachani (Coccidae). Do. Püyophthorus incompositus	Codiaeum sp. (croton) Annona muricata (sour- sop). Annona sp Brownea sp.						New York. Do. Do. District of Co-
(Scolytidae). Stephanoderes buscki (Scoly-	Tamarindus indica (tama-						lumbia. New York.
tidae). Targionia sacchari (Coccidae). Tineid. Vinsonia stellifera (Coccidae).	rind). Saccharum officinarum Dioscorea sp. (yam) Broughtonia sanguinea (or- chid).			1	1		Florida.* New York. District of Columbia.
Diseases: Aphelenchoides parietinus Ceratostomella fimbriata	Colocasia sp Ipomoea batatas (sweetpotato).					1	New York. Alabama.
Colletotrichum falcatum Pratylenchus pratensis	Saccharum officinarum Dioscorea sp. (yam)			<u>-</u> -	1		Florida.* New York.
JAPAN Insects:							
Anaphothrips orchidii (thrips) Anomala sp. (Scarabaeidae)	Anthurium sp Soil around chrysanthe- mum roots.	1 1					Hawaii.* New York.
Do	Soil around Prunus sp Prunus yedoensis		1	1			Hawaii.* California.*
Antonina crawi (Coccidae) Do	Bamboo plantdo Camellia japonica (camel-				1 1		Massachusetts. Pennsylvania.
Aspidiotus degeneratus (Coccidae).	11a).				1		California.*
Aspidiotus transparens (Coccidae). Autographa sp. (Noctuidae). Callosobruchus ademptus (Bruchidae).	Aucuba sp Brassica oleracea capitata_ Pueraria thunbergiana (kudzu).				1	1	Do. District of Columbia.
Callosobruchus chinensis (Bruchidae).	Bean	1				<u>i</u> -	Maryland. Pennsylvania.
Do	Oryza sativa (rice)			<u>i</u> -		1	Do. California.*
Carposina sp. (Carposinidae) Ceroplastes rubens (Coccidae) Do	Citrus nobilis deliciosa				1	1	Do.* Do.* Washington.
Do	(Mandarin). Citrus nobilis deliciosa (tangerine).					1	Pennsylvania.
Do	Fatsia japonica (fatsia)				1		California.* Pennsylvania.
Do	Oryza sativa (rice)						California.* Hawaii.*
D0	do			4		1	Illinois. Maryland. Pennsylvania. Washington. California.*
Do	Wisteria sp Wisteria japonica nankien- sis. Wisteria multijuga praecox. Wisteria sp Citrus grandis (grapefruit).		1				District of Co- lumbia.
Chionaspis yanonensis (Coccidae).				1			Washington. California.*
Do Do	Citrus limonia (lemon) Citrus nobilis deliciosa (tangerine).					1	Do.* Do.

dae). Chrysomphalus taxus (Coccidae). Do. Coccus pseudomagnoliarum (Coccidae). Conotrachelus Sp. (Curculionidae). Deminiarum Sp. (Lasiocampidae). Deminiarum Sp. (Decidiae). Frankliniala lilivora (thrips). Do. Malus sylestris (apple). Pyus communis (pear). Do. Lepidosaphes useli (thrips). Lilium Sp. (chestnut). Do. Castanea crenata (Japanese). Lepidosaphes camelliae (Coccidae). Coccidae). Do. Do. Do. Pyus communis (pear). Do. Do. Do. Do. Pyus communis (pear). Do. Do. Castanea crenata (Japanese lilivora (thrips). Do. Castanea crenata (Japanese). Do. Castanea crenata (Japanese			Nur	nber tion	of in	terce	ep-		
Insects—Continued. Chrysomphalus dictyospermi var. (Coccidae). Plant. Plant. 1 Massachusetts. Plant. Pla	Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
Chrysomphalus dictyospermi var. (Coccidae). Chrysomphalus tarus (Coccidae). Chrysomphalus tarus (Coccidae). Conotrachelus sp. (Curcullonidae). Dendrolimus sp. (Lasiocampidae). Dermestes tessellatocollis (Dermestidae). Fronkliniella filitora (thrips). Fronkliniella								-	
dae). Chrysomphalus taxus (Coccidae). Do. Coccus pseudomagnoliarum (Coccidae). Conotrachelus Sp. (Curculionidae). Deminia pendrolimus sp. (Lasiocampidae). Deminia japonica (Coccidae). Franklintella lilivora (thrips). Franklintella lilivora (thrips). Franklintella lilivora (thrips). Gastrodes japonicus (Lygaeidae). Gastrodes japonicus (Lygaeidae). Gelechiid. Cupressus sp. (pine). Do. Malus syleestris (apple). Hyponomeutidae). Hyponomeutidae). Hyponomeutidae (Coccidae). Gynaikothrips uzeli (thrips). Lilium Sp. Hyponomeutidae (Coccidae). Costanea sp. (chestnut). Do. Castanea sp. (chestnut). Do. Do. Pyrus communis (pear). Do. Castanea sp. (chestnut). Do. Castanea crenata (Japan- ese chestnut). Do. Castanea crenata (Japan- castanea crenata (Japan- castanea crenata (Coccidae). Do. Castanea crenata (Japan- chid). Do. Castanea crenata (Japan-	Chrysomphalus dictyospermi var. (Coccidae).		/						
Chrysomphalus taxus (Coccidae). Do. Coccus pseudomagnoliarum (Coccidae). Dendrolimus sp. (Curculionidae). Dendrolimus sp. (Lasiocampidae). Diack pino. Frankliniella lilitora (thrips). Lilitum sp. Frankliniella lilitora (thrips). Lilitum sp. Do. Gastrodes japonicus (Lygaeidae). Delack pino. Gastrodes japonicus (Lygaeidae). Delack pino. Grapholitha sp. (Olethreutidae). Do. Malus sylvestris (apple). Do. Maryland. Washington. Maryland. Washington. Maryland. Washington. Do. Maryland. Washington. Do. Maryland. Washington. Do. Maryland. Washington. Do. Castanea sp. (chestnut). Do. Castanea sp. (chestnut). Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	Chrysomphalus rossi (Cocci-	Plant				1		Massachusetts.	
(Coccidae). Condrachelus sp. (Curculionidae). Dendrolimus sp. (Lasiocampidae). Dermestes tessellatocollis (Dermestidae). Fiorinia japonica (Coccidae). Frankliniella lilivora (thrips). Furcaspis bifymnis (Coccidae). Gastrodes japonicus (Lygaeidae). Gastrodes japonicus (Lygaeidae). Gelechiid. Do. Gunalisothrips uzeli (thrips). Hyponomeutia sp. (Hyponomeutiae). Hyponomeutid. Laspeyresia splendana (Olethreutidae). Do. Laspeyresia splendana (Olethreutidae). Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	Chrysomphalus taxus (Coccidae).								
Condrachelus sp. (Curculionical)	Coccus pseudomagnoliarum	Citrus sinensis (orange)					1		
dae). Dermestes tessellatocollis (Dermestidae). Fiorinia japonica (Coccidae). Frankliniella lilitora (thrips). Frurcaspis biformis (Coccidae). Gastrodes japonicus (Lygaeidae). Gastrodes japonicus (Lygaeidae). Gaelechild. Do. Do. Do. Malus sylvestris (apple). Hyponomeuta sp. (Hyponomeutidae). Hyponomeutidae). Hyponomeutidae). Hyponomeutidae). Do. Castanea crenata (Japanese black pine). Do. Do. Do. Do. Do. Do. Do. Do. Do. Do	Conotrachelus sp. (Curculion-idae).					1 0			
mestidae Fiorinia japonica (Coccidae) Pinus thunbergi (Japanese black pine) Pinus thunbergi (Japanese black pine) Do. * Furcaspis biformis (Coccidae) Orchid.	dae).								
Do.	mestidae).	vegetables.	Y 3						
California Cal		Pinus thunbergi (Japanese black pine).	1						
California Cal	Furcaspis biformis (Coccidae)	Crchid		1		1		Alabama.	
Do. Amygdalus persica (peach) Do. Do. Malus sylvestris (apple) Do. Do. Pyrus communis (pear) Do. Maryland. Washington. Washington. Maryland. Washington. Maryland. Washington. Maryland. Washington. Maryland. Washington. Maryland. Washington. Maryland. California.* Do. Cupressus sp. Do. Do. Custanea splendana (Olethreutidae). Do. Castanea sp. (chestnut) Do. Do	dae).							Hawaii.*	
Do	Grapholitha sp. (Olethreuti-	Cupressus sp	1				1		
Hyponomeutid. Laspeyresia splendana (Olethreutidae). Do. Do. Do. Do. Do. Do. Do. Lepidosaphes camelliae (Coccidae). Do. Do. Do. Do. Lepidosaphes conchiformis (Coccidae). Do. Do. Do. Do. Do. Lepidosaphes conchiformis (Coccidae). Do. Do. Do. Do. Lepidosaphes conchiformis (Coccidae). Do. Do. Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Do. Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Lepidosaphes tuberculata (Coccidae). Combidium gyokuchen (or- tid). Cymbidium sp. (orchid). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes tuberou mana (Coccidae). Combidium sp. (orchid). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes tuberou mana (Coccidae). Cymbidium sp. (orchid). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes conchiformis (Separ). Cymbidium sp. (orchid). Lobitrict of Coccidae). Lobitrict of Coccidae). Litium sp. (orchid). Do. Castanea crenata (Japanes orange). Litium sp. (orchid). Do. Do. Marwac testulatis (bean pod borer). Melanotus sp. (Elateridae). Litium lonafiforum multi- florum (lity). Washington.	Do -	Malus sylvestris (apple)					1	Maryland. Washington.	
Hyponomeutid. Laspeyresia splendana (Olethreutidae). Do. Do. Do. Do. Do. Do. Do. Lepidosaphes camelliae (Coccidae). Do. Do. Do. Do. Lepidosaphes conchiformis (Coccidae). Do. Do. Do. Do. Do. Lepidosaphes conchiformis (Coccidae). Do. Do. Do. Do. Lepidosaphes conchiformis (Coccidae). Do. Do. Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Do. Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Do. Lepidosaphes tuberculata (Coccidae). Do. Lepidosaphes tuberculata (Coccidae). Combidium gyokuchen (or- tid). Cymbidium sp. (orchid). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes tuberou mana (Coccidae). Combidium sp. (orchid). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes tuberou mana (Coccidae). Cymbidium sp. (orchid). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes tuberou mana (Coccidae). Lepidosaphes conchiformis (Separ). Cymbidium sp. (orchid). Lobitrict of Coccidae). Lobitrict of Coccidae). Litium sp. (orchid). Do. Castanea crenata (Japanes orange). Litium sp. (orchid). Do. Do. Marwac testulatis (bean pod borer). Melanotus sp. (Elateridae). Litium lonafiforum multi- florum (lity). Washington.	Gynaikothrips uzeli (thrips) Hyponomeuta sp. (Hypono-	Lilium sp Euonymus japonicus (ever-				1	1	Maryland.	
Castanea sp. (chestnut)	Hyponomeutid	green burning-bush).			1		1	Do.*	
Lepidosaphes camelliae (Coccidae). Lepidosaphes conchiformis (Coccidae). Do.	threutidae).	ese chestriit).	1						
cidae). Lepidosaphes conchiformis Diospyrossp. (persimmon) 1 Hawaii.* Coccidae). Do. 1 Washington. Do. Eriobotrya japonica (loquat). 1 Do. Do. Pyrus communis (pear). 1 Do. Lepidosaphes tuberculata (Coccidae). Cymbidium gyokuchen (ordidum gyokuchen (ordid	Do							District of Co- lumbia.	
Coccidae . Do. Eriobotrya japonica (loquat). Do. D	cidae).	lia).							
Do.	(Coccidae).								
Do.	D0	Eriobotrya japonica (lo-					1	Do.	
Do	Do	Pyrus communis (pear) Pyrus serotina (sandpear)			1			Hawaii.*	
Do	Lepiaosapnes tuberculata	Cymbidium gyokuchen (or- chid).	1					Washington.	
Leucaspis japonica (Coccidae). Alnus glabra (alder)	Do Lepidosaphes tubulorum	Cymbidium sp. (orchid) Castanea crenata		1				District of Co-	
Do. Castanea crenata (Japannese chestnut). Do.	Leucaspis japonica (Coccidae).							Do.	
Liothrips vaneeckei (thrips) Citrus sinensis junos (Japanese orange). Do Lilium sp. (lily) 8 Maryland. Maruca testulalis (bean pod borer). Melanotus sp. (Elateridae) Lilium longiforum multi- florum (lily). Washington. Pennsylvania. Pennsylvania. California.* Washington.	Do	nese chestnut).							
Do	Liothrips vaneeckei (thrips)	Citrus sinensis junos (Jap-						Pennsylvania.	
Melanotus sp. (Elateridae) Lilium longiflorum multi- 1 Washington.	Do	$Lilium$ sp. $(lilv)_{}$					8	Pennsylvania.	
florum (lily).	borer).								
Mordellid Chrysanthemum sp 1 California.*		Lilium longiflorum multi- florum (lily). Chrysanthemum sp	1						
Mordellid Chrysanthemum sp. 1 California.* Nysius expressus (Lygaeidae) Azalea sp. 1 Do.* Olethreutid Do.* Ullicium anisatum (Japa- 1 Washington. nese anisetree).	Nysius expressus (Lygaeidae).	Azalea SD		1				Do.*	
Do	Do	Pisum sativum (pea) Podocarpus macrophylla	2				1	Do. Do.	

[All lindings	marked with an asterisk ind	TCare S	tate	mspe	301101	1]	
		Nur		of in		p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAPAN—Continued							
Insects—Continued. Parlatoria camelliae (Coccidae).	mallia)	4					Washington.
Parlatoria theae (Coccidae) Do	Acer sp. (inaple)do Magnolia sp Citrus grandis (pomelo)	2	- -				California.* Washington. California.*
Parlatoria ziziphus (Coccidae).							Do.*
Do	Citrus limonia (lemon) Chrysanthemum sp				<u>1</u>	2 1	Pennsylvania. California.* Washington.
bycidae). Poliaspis pini (Coccidae) Do	Pinus sp. (pine) do Soil around chrysanthe-						California.* New York.
Do	muni 1000.						Pennsylvania. New York.
Pseudaonidia duplex (camphor scale). Do	Alnus glabra (alder) Castanea crenata (Japanese	0					District of Co- lumbia. Do.
Do	chestnut). Citrus aurantifolia (lime) Citrus grandis (grapefruit)_ Citrus limonia (lemon) Citrus limonia (citron)					2	California.* Do.*
Do Do	Citrus nobilis deliciosa					1 1 1	Do.* Do.* Do.* Do.*
Do	(tangerine)do					1	Hawaii.* Do.*
Do	Citrus nobilis unshiu (Sat-					1	New York.
Do Do	Citrus sinensis (orange)dodo			2		16 2 3	California.* Hawaii.* New York.
Do Do	Citrus sinensis junos (Jan-					3 2	Pennsylvania. Do.
Pseudaonidia paeoniae (Coccidae).	Azalea indica	3				2	Do. District of Co- lumbia.
Do	Azalea spdoCamellia japonica (camel-	2 1 2	1 1 2				California.* Washington. California.*
Do							Hawaii.* Washington.
Do			1	1			California.* Hawaii.*
Pseudaonidia trilobitiformis (Coccidae).	Camenia japonica (camei-	1					Washington. New York.
Pseudococcus kraunhiae (Coccidae). Do	Pedilanthus sp	1					Hawaii.*
Do	Ilex sp. (holly) Acer sp. (maple)	<u>î</u>			1		New York. California.*
Do	Juniperus sp. (juniper)	1			<u>i</u> -		Washington. California.* Washington.
Do	(anthurium). Diospyros sp. (persimmon) Ilex sp. (holly). Acer sp. (maple). Atalea sp. Juniperus sp. (juniper). do. Magnolia sp. Paeonia moutan. Citrus sinensis (orange)	1				1	Do. California.* Hawaii.*
Pyralis sp. (Pyralididae)	Cucurbita pepo (pump-kin).					1	Massachusetts.

		Nui	mber tio	of in	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAPAN—Continued							
Insects—Continued. Pyrausta nubilalis (European corn borer).	Paeonia moutan	1					Washington.
Do	Phaseolus sp. (string bean) do Zea mays (corn) Agaricus campestris (mush-					$\begin{array}{c c} 1\\2\\1\end{array}$	California.* Washington. California.*
Do Tineid	room).					1	Hawaii.*
Do	Cupressus sp	1					California.* Do.*
Do Do Tortricid	Paeonia moutan	1					Washington. Do.
Do Do	Chrysanthemum sp Diospyros sp. (persimmon) Soil around potted Ilex sp.		1				California.* Hawaii.* New York.
Tsukushiaspis pseudoleucas- pis (Coccidae).	plant. Bamboo						Massachusetts.
Diseases: Alternaria citri Aphelenchoides parietinus	Citrus sp Colocasia esculenta (taro)					1 1	Washington. Pennsylvania.
Do	Lilium sp. (lily)	1				1	Massachusetts. New York. Pennsylvania.
Do Do Bacterium citri	do						California.* Do.*
Do Do Do	Citrus nobilis (king orange) Citrus sinensis (orange)					1 7 1	Washington. California.* New York.
Do Botrytis paeoniae Cephalosporium pammelii	do Paeonia moutan var Malus sylvestris (apple)	1				1 	New York. Washington. California.* Pennsylvania.
purpurascens. Cercosporella albo-maculans Cronartium quercuum (?)	Brassica oleracea capitata Pinus densiflora (Japanese					1	Washington. Massachusetts.
Discosia artocreas Gloeosporium dendrobii Gloeosporium euonymicolum	red pine). Vitis sp. (grape) Dendrobium nobile (orchid) Euonymus sp. Oryza sativa (rice) Lobivia graulichi Lobivia schuldti Urbinia purpusii Paeonia sp.	1			1 1		Pennsylvania. California.* Washington.
Hendersonia oryzae Heterodera marioni Do	Oryza sativa (rice)	1	1 1				Pennsylvania. California.* Do.*
Do Leptothyrium macrothecium	Urbinia purpusii Paeonia sp		$\frac{1}{2}$				Do.* Do.* District of Co- lumbia.
Microdiplodia wistariae Do Mycosphaerella moutan	Wisteria spdo Paeonia moutan varAllium fistulosum (Welsh	1					Washington.
Mycosphaerella schoenoprasi Do							Pennsylvania. Maryland.
Do Do Peronospora effusa	Allium porrum (leek)dodospinacia oleracea (spinach).					5 1 2	Pennsylvania. Washington. Pennsylvania.
Do	Citrus aurantifolia (lime) Aucuba japonica (Japanese					1 1	Washington. California.* New York.
Phomopsis magnoliicola Phomopsis seposita Sclerotiopsis testudinea	aucuba). Magnolia sp Wisteria venusta alba Paeonia moutan (tree						California.* Do.* Do.*
Do							Do.*
Septobasidium prunophilum Septoria secalis Sphaerulina oryzae Thielaviopsis basicola	Paeonia moutan var Prunus domestica (plum) Secale cereale (rye) Oryza sativa (rice) Joomoea batatas (sweetpo-	1			1	1	Pennsylvania. Illinois. New York.
Thielaviopsis basicola Tilletia horrida	Ipomoea batatas (sweetpo- tato). Oryza sativa (rice)					1	Pennsylvania. New York.

		Nu	mber tio	of in is in-		ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
JAVA							
Insects: Parlatoria pergandii var. (Coc-	Citrus limonia (lemon)					1	Pennsylvania.
cidae). Parlatoria ziziphus (Coccidae).	Citrus grandis (pomelo)					1	Massachusetts.
Do	Citrus limonia (lemon) Rhynchostylis retusa (orchid)	1				1	Do. District of Co- lumbia.
Diseases: Cercospora musae Vermicularia capsici	Musa sp. (banana) Capsicum annuum					1	Pennsylvania. Do.
LATVIA							
Diseases: Gloeodes pomigena	Malus sylvestris (apple)			1			New York.
LITHUANIA							
Insects: Tischeria sp. (Tischeridae)	Quercus sp. (oak)			1			Do.
MADEIRA ISLANDS							
Insects: Blastobasis sp. (Blastobasidae).	(loquat).			1			Do.
Do	Vitis sp. (grape) Eriobotrya japonica			1			Do. Do.
ranean fruitfly). Chrysomphalus dictyospermi var. (Coccidae).	Camellia japonica (camel-		1				Massachusetts.
Iridomyrmex humilis (Argentine ant).	Chayota edulis (chayote)			1			New York.
Tineid	Andropogon citratus (lemon grass).			1			Do.
Manchuria							
Insects: Callosobruchus chinensis	Soja max (soy bean)		1				Do.
(Bruchidae). Chilo simplex (Asiatic rice	Oryza sativa (rice)	1					Washington.
borer).							
MARTINIQUE Insects:							
Coccotrypes thrinacis (Scolytidae).	Coccothrinax argentea			1			Puerto Rico.
Do	Coccothrinax barbadensis Myristica fragrans (nut- meg).			1			D ₀ . D ₀ .
Mexico							
Insects: Acanalonia laticosta (Fulgori-	Lantana sp			1			Texas.
dae). Aceratagallia vulgaris (Cicadellidae).	Capsicum annuum	1					Arizona.
Aegeriid	Ananas sativus (pine- apple).			1			Texas.
Aeolus pulchellus (Elateridae).	Persea americana (avo-cado).			1			D ₀ .
Do	Zea mays (corn)	1		1			Do. Louisiana.
Do	Ananas sativus	39 1		1			Texas. Do.
Do	Gladiolus sp Saccharum officinarum	1			2		Do. Pennsylvania.

List, by countries, of pests collected and reported from July 1, 1937, to June 30, 1938, inclusive—Continued

		Nur		of in as in-		p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued							
Insects—Continued. Anaphothrips orchidaceus	Gardenia florida (Cape-	1					Texas.
(thrips). Do	Gardenia florida (Cape- jasmine). Gypsophila paniculata (ba-	1					D ₀ .
Do	bysbreath). Laclia sp. (orchid)	3		1			California.*
Do	Orchid	11		1			Texas.
Do Anaphothrips orchidii (thrips)	Bromeliaceae			1			Texas. California.*
netidae).	Inga sp	1					Texas.
Anastrepha ludens (Mexican fruitfly).	Citrus aurantium (sour orange).			7			D ₀ .
Do	Citrus grandis (grapefruit)_	2		30			Do.
Do	Citrus limetta (sweet lime) _ Citrus sinensis (orange)			5		1	Do. Louisiana.
Do	do			1	1		South Carolina
Do	do do			265	1		South Carolina Texas.
Do	Cydonia oblonga (quince)			1			Do.
Do	Malus sylvestris (apple)			34			Do. Do.
Do	Mangifera indica (mango) _ Persea americana (avoca-			1			Do.
Do	do). Punica granatum (pome-			2			Do.
Do	granate). Sapote			3			Do.
Anastrepha serpentina (Try-	Citrus nobilis deliciosa (tan-			1			D ₀ .
petidae). Do	gerine). Lucuma mammosa (sa-			2			Do.
Do	pote). Mammea americana (ma-			1			Arizona.
Do	mey).			6			Texas.
Do	Sapote Amygdalus persica (peach) Casimiroa edulis (white-			10			Do.
Do	Amygdalus persica (peach)_			1			Do.
D ₀	Casimiroa edulis (white-			1			Do.
Do	Citrus aurantium (sour orange).			1			D0.
Do	Citrus sinensis (orange)			9			Do.
Do	Cydonia oblonga (quince) Malus sylvestris (apple)			4			Do.
D ₀	Malus sylvestris (apple)			1 2			Do.
D0	Mammea americana (ma- mey).			2			D ₀ .
Do	Mangifera indica (mango) -			8			D_0 .
Do	Psiaium quajara (guava)			4			Do.
Do	Punica granatum (pome-			3			Do.
Do	granate). Pyrus communis (pear)			16			Do.
Do	Sanote			1			Do.
Do	Sapote Mammillaria karwinskiana	2					Do.
dae). Aspidiotus pini (Coccidae) Autonium bidentatum (Coly-	(cactus). Pinus sp. (five-leafed pine) Cedrela sp. (log)	1		1			Do. New York.
Autographa sp. (Noctuidae)	Brassica oleracea capitata			2		1	Arizona.
Do	do do Capsicum annuum			5			Louisiana. Texas.
Do	Capsicum annuum	2		0			Arizona.
Do	Chrysanthemum maximum (Shasta daisy).			1			Texas.
Do	Cucurbita maxima (squash).	1					Do.
Do	Lactuca sativa (lettuce)			8			Do.
Do	Lycopersicum esculentum	1					Arizona.
Do	Petroselinum hortense (parsley).			1			Texas.
Bephrata sp. (Eurytomidae)	Pisum sativum (pea) Annona muricata (sour-	1			1		Arizona. Louisiana.

		Nui		of ir	terce	p.		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
Mexico—Continued								
Insects—Continued. Berginus nigricolor (Lycti-	Chrysanthemum sp	- -		1			Texas.	
dae). Bitoma intermedia (Colydiidae).	Turraeanthus sp. (avodire) (log).	1					New York.	
Blastobasis sp. (Blastobasidae).	Ananas sativus			1			Arizona.	
Do Do	do do Jasminum sp	62		4			Louisiana. Texas. Do.	
Do	Malus sylvestris (apple) Punica granatum (pome-			1			Do.	
Do	Punica granatum (pome- granate).			3			Do.	
Callirhytis sp. (Cynipidae)	Quercus sp. (acorn)			4 3			Arizona. Texas.	
Capaneus odiosus (Coreidae)	Ananas sativus	1					Do. California.*	
Do	Ananas sativus Laelia sp. (orchid) Musa sp. (banana)	1					Texas.	
Ceratocapsus apicalis (Miri-	Gardenia florida (Cape-jas-	1					Do.	
dae). Ceratocapsus punctulatus (Miridae).	mine). Chrysanthemum sp			1			Do.	
Ceratocombus areolatus (Cryptostemmatidae).	Lactuca sativa (lettuce)			1			Do.	
Ceroputo mexicanus (Coccidae).	Ambrosia sp. (ragweed)	1		1			Do. Do.	
Chelinidea hunteri (Coreidae)_	Lophocereus schottii (cactus).	1					Arizona.	
Chilo sp. (Pyralididae) Do Chrysomphalus dictyospermi	Saccharum officinarum Zea mays (corn) Citrus limetta (sweet lime)			7			Do. Do. Texas.	
var. (Coccidae).	Epidendrum sp. (orchid)						District of Co-	
Do	Persea americana (avo-			11			lumbia. Texas.	
Chrysomphalus nigropuncta- tus (Coccidae).	Echeveria marginata						California.*	
Chrysomphalus personatus (Coccidae).	Echeveria sp Citrus aurantifolia (lime)	2	1				Do. Texas.	
Do	Mangifera indica (mango)_ Persea americana (avocado)			1 2			Do. Do.	
Do Cicadella nigroguttata (Cica-	Rosa sp. Gardenia florida (Cape-	2		1			Do. Do.	
dellidae). Cicadula maidis (Cicadelli-	jasmine). Euchlaena mexicana (teo-						District of Co-	
dae). Cionopsis palliatus (Curculionidae).	sinte). Cardiospermum sp. (heartseed).		1	- -			lumbia. Do.	
Clastoptera funesta (Cercopidae).	Gardenia florida (Cape-jas- mine).	2					Texas.	
Clerada apicornis (Lygaei- dae). Conotrachelus aguacatae (Cur-	Citrus aurantifolia (lime) Persea americana (avocado)						Do. Do.	
culionidae). Conotrachelus dimidiatus (Cur-	Psidium guajava (guava)					9 1	Do.	
culionidae). Conotrachelus flavangulus	Persea americana (avocado)						Do.	
(Curculionidae). Corythucha morrilli (Tingitidae).	Chrysanthemum parthe- nium (feverfew).	1					Do.	
Crocidosema plebeiana (Ole-	Chrysanthemum sp Hibiscus esculentus (okra).	5		1			Arizona. Texas.	
threutidae). Cylas formicarius (sweet- potato weevil).	Ananas sativus						Do.	
D0	Ipomoea batatas (sweet-potato).					2	Alabama.	
Do	do			19			Texas.	

[All findings	marked with an asterisk ind	icate S	tate:	ınspe	ection	1)	
		Nu	mber tion	of in		ep-	
Country of origin and name of pest	Host	0		age	ters	22	Collected in-
		Cargo	Mail	Baggage	Quarters	Stores	
Mexico—Continued							
Insects—Continued. Cyllene antennatus (Ceram-	Prosopis sp. (mesquite)	2					Texas.
bycidae). Diaspis simmondsiae (Coc-	Simmondsia chinensis			1			Arizona.
cidae). Diatraea saccharalis (sugar-	Saccharum officinarum			1			Texas.
cane borer). Discoloma vestitum (Disco-	Tabebuia donnell-smithi	1					Louisiana.
lomidae). Disonycha antennata (Chryso-	(primavera) (log). Ananas sativus	2					Texas.
melidae). Draeculacephala lenticula (Ci-	Brassica sp. (mustard)	1					Do.
cadellidae). Empoasca solana (Cicadelli-	Lactuca sativa (lettuce)			1			Do.
dae).	Solanum tuberosum			8			Do.
lionidae).	Laelia sp. (orchid)	1					California.*
Epilachna mexicana (Coccinellidae). Epilachna varivestis (Mexican	Phaseolus sp. (string bean)			1			Texas.
bean beetle). Epinotia opposita (Olethreu-	do	1					Do.
tidae). Eriococcus araucariae (Cocci-	Pinus sp. (trailing pine)			1			Do.
dae). Ernoporides jalappae (Scoly-	Ipomoea purga	1					New York.
tidae). Eurycipitia vestitus (Miridae).	Orchid	1					California.*
Euscepes postfasciatus (West Indian sweetpotato weevil).	Ipomoea batatas (sweet- potato).			1			Texas.
Exitianus obscurinervis (Ci-	Tagetes sp. (marigold)	1					Do.
Exptochiomera minima (Ly-	Chrysanthemum sp	1		1			Do.
Do	Gardenia florida (Cape- jasmine).	1		1			Do.
Do	Hibiscus esculentus (okra)_			1			Do. California.*
Do	Orchid.		1	2			Do.*
Do	Rosa sp.			2 2			Texas.
Do Exptochiomera oblonga (Ly-	Zea mays (corn)	1		1			Do. Do.
gaeidae).		1					
Do	Gardenia florida (Cape- jasmine).	1					Do.
Do	Latuca sativa (lettuce)			2			Do.
Do	Rosa sp.			1			Do.
Do Frankliniella ameliae (thrips)_	Tagetes sp. (marigold)	1		3			Do. Do.
	Antirrhinum majus (snap- dragon).						Do.
Do	Chrysanthemum maximum (Shasta-daisy).			1			
Do	Dianthus sp. (carnation)			1			Do. Do.
Do	Gladiolus sp Lactuca sativa (lettuce)	1		2			Do.
Do	Lilium longiflorum (Easter lily).	2					Do.
Do	Paparer sp. (poppy)			1			Do.
Do	Phlox sp			1			Do.
Do	Rosa sp			8			Do.
Do	Tropaeolum sp. (nastur-			1			Do.
Do	tium). Viola tricolor (pansy)			1			Do.
Frankliniella cephalica (thrips)	Antirrhinum majus (snap- dragon).			-			Do.
Do	Gardenia florida (Cape- jasmine).	5					Do.
Do				1			Do.
Do	Zantedeschia aethiopica (calla lily).			1			Do.

		Nu	mber tio	of ir	terce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico-Continued							
Insects—Continued. Frankliniella difficilis (thrips) Frankliniella fortissima (thrips)	Gardenia florida Antirrhinum majus (snap- dragon).			1 29			Texas. Do.
Do	Chrysanthemum maximum (Shasta daisy). Chrysanthemum sp			3			Do. Do.
Do Do Do	Dahlia sp			8			Do. Do.
Do	Dianthus sp. (carnation) Gardenia florida	1		3			Do.
Do	Gladiolus sp	1		1			Do.
D0 D0	Gypsophila paniculata (babysbreath).	1					Do. Do.
Do Do	Lactuca sativa (lettuce) Lathurus odoratus (sweet	2		1			Do. Do.
Do	pea). Lilium longiflorum (Easter lily).	2		3			Do.
Do	Lilium sp. (lily)	1					Do.
Do	Orchid	1		16			Do. Do.
Do	Rosa sp. Viola sp. (violet)	1		1			Do.
D0	Zinnia sp.			1			Do.
Frankliniella insularis (thrips)	Azalea sp	1					Do.
Do	Daisy Gardenia florida (Cape- jasmine).	2		1			Do. Do.
Do	Lilium longiflorum (Easter lily).			7			Do.
Do	Lilium sp. (lily) Rosa sp			2 13			Do. Do.
Frankliniella moultoni (thrips).	Links on (violet)			1			Do.
Do	Viola sp. (violet) Gardenia florida	1					Do. Do.
Frankliniella williamsi (thrips)	ley).			1			Do.
Do	Rosa sp	1		$\frac{1}{52}$		1	Do. Do. Do.
dae). Furcaspis biformis (Coccidae).	Laelia sp. (orchid)	2					California.*
Gerstaêckeria mutillaria (Cur- culionidae). Do	Cactus Mammillaria depressa (cac-	1	1				Texas. California.*
Gnorimoschema gudmanella	tus). Capsicum annuum	46		3			Arizona.
(Gelechiidae). DoGnorimoschema lycopersicella	do Lycopersicum esculentum	1 809		1			Texas. Arizona.
(tomato pinworm).	Lycopersicam escatentam	1					California.
DoGraphocephala rufimargo (Cicadellidae).	Chrysanthemum maximum (Shasta daisy).	72		21 1			Texas. Do.
Do	Gardenia florida (Cape- jasmine).	7		1			Do.
Graphocephala sexlineata (Ci-	do	1					Do.
cadellidae). Grapholitha saltitans (Olethreutidae).	Sebastiana sp. (Mexican jumping bean).		1				Arizona.
(Cicadellidae).	Zinnia sp			1			Texas.
Haplothrips gowdeyi (thrips) Do	Chiococca sp	2		1			Do. Do.
Harmostes nebulosus (Coreidae).	Mammillaria melanocentra (cactus).		1				California.*
Heilipus sp. (Curculionidae)	Persea americana (avo-cado).			2			Texas.

Country of wining and		Nu	mber tio	of in	iterce	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
MEXICO—Continued							
Insects—Continued.							
Iridomyrmex humilis (Argentine ant).	Lactuca satira (lettuce)			1			Arizona.
Isochaetothrips reticulatus (thrips).	Camellia japonica (camel-	1					Texas.
Do	Gardenia florida (Cape- jasmine).	4					Do.
Do	Lilium longiflorum (Easter lily).			1			Do.
Jornandes intermedius (Miridae).	Gardenia florida (Cape- jasmine.	1					Do.
Lepidosaphes philococcus (Coccidae).	Cactus		1				District of Co- lumbia.
Do	Cereus sp. (cactus)	3					Texas. District of Co-
Do	Cephalocereus chrysacan-		1				lumbia. California.*
Do	thus (cactus). Myrtillocactus geometri-		2				Do.*
Do	Myrtillocactus geometri- zans (cactus). Pachycereus marginatus		1				Do.*
Do	(organ-pipe cactus).	1					Texas.
Lithophorus ornatus (Colydii- dae).	Diospyros ebenaster (ebony)_	1					Do.
Do	Prospois sp. (mesquite) Gossypium sp. (cotton-seed).	3		1			Do. Do.
dae).	Capsicum annuum	1					Arizona.
Lygus cristatus (Miridae) Macrosiphum luteum (aphid).	Chrysanthemum sp	1		1			Texas. California.*
Do	Laelia anceps (orchid) Laelia sp. (orchid)	1 1					Do.* Do.*
Do	Odontoglossum citrosmum (orchid).	1					Do.*
Do	Odontoglossum sp. (orchid) Orchid	2					Do.* Do.*
D0	do		1				District of Co- lumbia.
Do	Cactus	2		1			Texas. Do.
Do	Citrullus vulgaris (water-	8 3		1			Arizona. Do.
Do	melon). Citrus aurantifolia (lime)	1					Do.
Do	Citrus aurantium (sour	1					Texas. Do.
Do	orange). Persea americana (avocado.	1		176	3		Do.
Do	Phaseolus lunatus macro- carpus (lima bean).	1					Arizona.
Maruca testulalis (bean pod	Phaseolus sp. (string bean).	6				1	Texas.
borer). Melanotus sp. (Elateridae)	Soil around Haworthia plant.		1				District of Co- lumbia.
Melitara sp. (Pyralididae)	Mammillaria mundtii (cac- tus).		1				California.*
Metamasiopsis decempuncta- tus (Curculionidae).	Bromeliaceae	1					Do.*
Metamasius ritchiei (pine- apple weevil).	Ananas sativus	1					Texas.
Metamasius sericeus (silky cane weevil).	Musa sp. (banana)	1					Do.
Metamasius sericeus carbona-	Ananas sativus	2					Louisiana.
rius (Curculionidae).							

[All findings i	marked with an asterisk indi	icate St	tate 1	nspe	ction]	
Country of origin and		Nun	nber tion	of in		р-	
name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Mexico—Continued							-
Insects—Continued. Milichiella lacteipennis (Agro-	Lycopersicum esculentum	1					Texas.
myzidae). Moodna bisinuella (Pyralidi-	Zea mays (corn)			7			Do.
Mordella sp. (Mordellidae) Mordellistena sp. (Mordellidae)	Rosa sp	1		1			Do. Do.
Do	Laelia sp. (orchid) Lilium longiflorum (Easter lily).	3	1	1	- -		California.* Texas.
Myelois sp. (Pyralididae) Nabis alternata (Nabidae) Nesosteles neglectus (Cicadel-	Citrus sinensis (orange) Beta vulgaris (beet) Gardenia florida (Cape-jas-	1 1		2			Do. Do. Do.
lidae). Oedionychis nigrosignata (Chrysomelidae).	mine). Antirrhinum majus (snap-dragon).			1			Do.
Of a tule n a duodecemstriata (Olethreutidae).	Prosopis sp. (mesquite)	1					Do.
Ogdoecosta catenulata (Chrysomelidae).	Odontoglossum (orchid)	1					California.*
Olethreutid Do. Do. Do. Do.	Dry bean pod Capsicum annuum Chayota edulis (chayote)	72		1			Texas. Arizona. Texas.
Do	Chrysanthemum sp. (baby chrysanthemum).			1			Do.
Do Do	Diospyros ebenaster (ebony) Eugenia jambos (rose- apple).			1			Do. Do.
Do Do	Lycopersicum esculentum Phaseolus sp. (string bean)-	2 22 1					Arizona. Texas. Do.
Do Opsius stactogalus (Cicadel- lidae).	Prosopis sp. (mesquite) Ouercus sp. (oak) Chrysanthemum sp			3			Do. Do.
Do Do Parlatoria cinerea (Coccidae)	Daisy Rosa sp Citrus aurantifolia (lime)	11		1 4			Do. Do. California.*
Do Do Pectinophora gossypiella (pink	Citrus sinensis (orange) Gossypium sp. (cottonseed)	4		9		1	Texas. California.* Texas.
bollworm). Do	Gossypium sp. (cottonseed) (in railway car) (5 inter-						Do.
Do	ceptions). Gossypium sp. (seed cotton).	2		16			Do.
Do	Gossypium sp. (cotton) (boll).		~	1			Do.
Perigenes dispositus (Lygaei- dae). Phyllotreta sp. (Chrysomeli-	Physalis sp. (husk tomato)- Lycopersicum esculentum	1		1			Do. Arizona.
dae). Phyllotrox sp. (Curculionidae) Physonota eucalypta (Chryso-	Amygdalus persica (peach) Laelia speciosa (orchid)	1		1			Texas. California.*
melidae). Do	Laelia sp. (orchid)	1					Do.*
Do Pinnaspis minor strachani (Coccidae).	Orchid Citrus aurantifolia (lime)	1	1				Do.* Texas.
Platynota stultana (Tortricidae).	Capsicum annuum			2			Arizona.
Platypus rugulosus (Platypodidae).	Lycopersicum esculentum Cedrela sp. (log)	7 1					Do. New York.
Do	Turraeanthus sp. (avodire) (log).	1					Do.
D0	Zea mays (corn)			1			Texas.

		Nu	mber tio	of ir	terc	ep•	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in-
Mexico-Continued							
nsects—Continued. Prodenia sp. (Noctuidae)	Antirrhinum majus (snap-			1			Texas.
	dragon).						
Do	Capsicum annuum	1 2					Arizona.
Do	Lycopersicum esculentum	2					Do. Texas.
Do	Rosa sp			1			Do.
Psalidonota texana (Chryso-melidae).	Chrysanthemum sp			1			Do.
Psychid	Ananas sativus	2		1			Do.
Do Do	Chrysanthemum sp Rosa sp			1			Do. Do.
Psylliodes chrysocephala	Brassica rapa (turnip)					1	Louisiana.
(Chrysomelidae).		200					
Pyralidid Rhagoletis pomonella (apple	Ananas sativus Arctostaphylos sp. (manza- nita).	29		1			Texas. Do.
maggot). Rhagoletis sp. (Trypetidae)	Crataegus sp			3			Do.
Do	Juglans nigra (black wal-			1			Do.
Schistoceros cornutus (Bostrichidae).	nut). Saccharum officinarum			1			Do.
Schizoptera caudata (Schizop-	Ananas sativus	1					Do.
teridae). Sisamnes contractus (Lygaei-	do	2					Do,
dae). Do	Mammillaria karwinskiana	3					Do.
Sitona sp. (Curculionidae)	(cactus). Ananas sativus	1					Do.
Stenoma catenifer (Stenomidae).	Persea americana (avocado).			1			Do.
Stenoma sp. (Stenomidae)	Annona muricata (soursop) Persea americana				1	1	Alabama. Louisiana.
Taeniothrips simplex (gladio- lus thrips).	Gladiolus sp	13		10			Texas.
Tesserocerus dejeani (Platy- podidae).	Turraeanthus sp. (avodire) (log).	2					New York.
Thaumaphrastus karanisensis (Colydiidae).	Oryza sativa (rice)			1			Texas.
Tineid	Ananas sativus	7					Do.
Do	Dahlia sp			2			Do.
Do	Gossypium sp. (cotton) (boll).			1			Do.
Do	Laelia sp. (orchid)		1				California.*
Do Tortricid	Prosopis sp. (mesquite)			2			Texas.
Tortricid	Antirrhinum majus (snap- dragon).			1			Do.
Do	Capsicum annuum	15					Arizona.
Do	Citrus aurantifolia (lime)	1					Texas.
Do	Crataegus sp. (red haw) Cydonia oblonga (quince)			1 2			Do. Do.
Do	Daisy	1		2			Do.
Do	Fragaria sp. (strawberry)	1					Do.
Do	Gardenia florida (Cape-jas-	11					Do.
Do	mine). Gossypium sp. (cotton) (boll).			1			Do.
Do	Hibiscus esculentus (okra)	1					Do.
Do	Jasminum sp. (jasmine)			1			Do.
Do	Lucuma mammosa (sapote).			1			Do.
Do	Malus sylvestris (apple)			1			Do.
Do	Persea americana (avo-			2			Do.
Trionymus sacchari (Cocci-	cado). Saccharum officinarum			2			Do.
dae). Valtissius diversus (Lygae-	Andropogon citratus (lem-			1			Do.
idae). Do	on grass). Gardenia florida (Cape-			1			Do.
	jasmine).						

MEXICO—Continued Inserts—Continued Inserts—Continued Xyleborus affinis (Scolytidae) Xyleborus affinis (Scolytidae) Xyleborus confusus (Scolytidae) Xyleborus propinquus (Scolytidae) Do Do Do Turracanthus sp. (avodire) Do			Nur		of in is in-		ep-	
Insects—Continued. Xyleborus affinis (Scolytidae) Xyleborus propinquus (Scolytidae) Lilium sp. (lily) Turraeanthus sp. (avodire) Co. Xyleborus propinquus (Scolytidae) Do. Colot. Xyleborus propinquus (Scolytidae) Do. Colot. Co		Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Xyleborus affinis (Scolytidae) Xyleborus confusus (Scolytidae) Xyleborus confusus (Scolytidae) Xyleborus confusus (Scolytidae) Xyleborus propinquus (Scolytidae) Xemans satiens Xemy York (Ioux) Xemans satiens Xemy York (Ioux) Xemans satiens Xemy York (Ioux) Xemans satiens Xemy York (Xemy York States) Xemy York (Xemy York York York States) Xemy York (Xemy York York York York York York York York	Mexico-Continued							
Do. Nyletorus propinquus (Scoly- tidae). Do. Do. Cedrela sp. (log). Turraeanthus sp. (avodire). Labrates subfasciatus (Bru- chidae). Zabrates subfasciatus (Bru- chidae). Bean. Do. Chrusanthemum sp. Do. Do. Do. Do. Do. Do. Do. D	Xyleborus affinis (Scolytidae) _ Xyleborus confusus (Scoly-	Turraeanthus sp. (avodire)	1		1			Texas. New York.
Do	Nuleborus propinguus (Scoly-	Zea mays (corn)	1					
Zabrotes subfasciatus (Bruchichicale). Do. Den. Do. Bean. 1 1 Do. Do. Do. Chrysanthemum sp. 1 1 Do. Do. Do. Do. Chrysanthemum sp. 1 1 Do. Do. Do. Do. Persea americana (avo-eado). Do. Persea americana (avo-eado). Do. Persea americana (avo-eado). Do. Do. Phaseolus vulgaris (bayo 1 Do. Do. Do. Do. Do. Phaseolus vulgaris (bayo 1 Do.	Do	Cedrela sp. (log)						
Do Chrysenthemum sp 1 1 Do Do Daisy 1 Do Do Do Persea americana (avo-cado) 2 Do Do Do Phaseolus vulgaris (bayo 1 Do Do Do Daisy 1 Do Do Do Do Phaseolus vulgaris (bayo 1 Do	Zabrotes subfasciatus (Bru- chidae).	(log).	2					Texas.
DO. DO Persea americana (avo-cado), Phaseolus vulgaris (bayo bean). Do Phaseolus vulgaris (bayo bean). Do Do. Bacterium michiganense Lipomoca pescaprac. 1 Do. Bacterium macuticola (?) Raphanus satirus (radish) 1 Do. Bacterium macuticola (?) Raphanus satirus (radish) 1 Do. Ceptatos porium sacchari Saccharum officinarum 1 Do. Cercos pora atricincta Zinnia sp. 1 Do. Collectorichum orcividarum Culinda sp. 1 Do. Collectorichum orcividarum Civina sp. 1 Do. Collectorichum orcividarum Civina sp. 1 Texas. Erus pine cichoracearum. Glocos porium leguminum Prosopis sp. (mesquite) 1 Do. Algoria phateria la porium leguminum Prosopis sp. (mesquite) 1 Do. Do. Glocos porium leguminum Prosopis sp. (mesquite) 1 Do. Algoria phateria la phateria Do. Glocos porium leguminum Prosopis sp. (mesquite) 1 Do. Algoria phateria la phateria Do. Do. Glocos porium leguminum Prosopis sp. (mesquite) 1 Do. Algoria phateria la phateria la phateria 1 Do. Phylophohora capsic (?) Lycopersicum esculentum 1 Do. Pratiplenchus pratensis New York Pratipenchus pratensis New York Pratipenchus pratensis New York Pratipenchus pratensis New York Pratipenchus pratensis	Do	Chrusanthemum sp			1			Do.
Dean	Do	Persea americana (avo- cado).						Do.
Aplanobacter michiganense. Do. Capsicum annuum Do. Bacterium maculicola (?) Cephatosporium sacchari Cercospora atricineta. Cercospora atricineta. Celebatichum orcidearum Cyltindrosporium chrysauthemi Erysiphe cichoracerum Chrysanthemum sp. 1 Texas. Cueurhita pepo (pumpkin) 3 Do. Do. Myrothecichum verrucaria Chrysanthemum sp. (ceetus) 1 Do. Myrothecium verrucaria Cycoriacium expunctum sp. (ceetus) 1 Do. California.* California.* Colaitornia.* Colaitornia.* Colaitornia.* Colaitornia.* Do. Phylophthora capsici (?) California.* California. Do. Phylophthora capsici (?) California.* California. Corecinal boutelouse Canna sp. 1 Do. California. C		Phaseolus vulgaris (bayo bean).			1			Do.
Crysiphe cichoracearum Cucurbita pepo (pumpkin) 3	Albugo ipomoeae-panduranae_ Aplanobacter michiganense	Ipomoea pescaprae Capsicum annuum			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Do.
Crysiphe cichoracearum Cucurbita pepo (pumpkin) 3 Do.	Bacterium maculicola (?) Cephatosporium sacchari	Raphanus sa'ivus (radish) Saccharum officinarum			1 1			Do
Phyllachora graminis Choris sp. 1 Do. Do. Orass 1 Do. Do. Mullenbergia utilis 1 Do. Do. Phyllosticta laetiae Laetia sp. (orchid) 2 California.* Drysalospora orchidearum Orcidium sp. (orchid) 1 Do. Physophthora capsici (?) Lycopersicum esculentum 2 Arizona. Pratylicachus pratensis Solanum tuberosum 2 Texas. Pseudopeziza medicaginis Medicago sativa (alfalfa) 1 Do. Puccinia boutelouae Grass 1 New York. Puccinia cannae Canna sp. Puccinia incondita Solanum triquetrum 1 Do. Puccinia pimpinellae Pimpinella anisum (anise) 1 Do. Puccinia tageticola Tagetes tenuifoliae (?). Trematosphaeria cactorum Echinocactus macrodiscus (cactus). Tradescantia fluminensis (cactus). Tradescantius medicaginis Virus spotted wilt. Lycopersicum esculentum 5 Arizona. Montserrat Montserrat Salamboo 1 New York. Do. Mew York. Section-gum (Coccidae). Puccinia speriola discussional laurel). Gossypium sp. (cotton-seed). Dioscorea sp. (yam) 1 Massachusett New York. Sectional lustianica (Chry-Muscari comosum (cipol-28 New York.	Colletotrichum orc'ridearum	Zinnia sp Orehid Chrusanthemum sp.	1		1			Do. California.* Texas.
Phyllachora graminis Choris Sp. 1 Do. Grass 1 Do. Do. Do. Mullenbergia utilis 1 Do. Do. Phyllosticta laetiae Laetia Sp. (orchid) 2 California.* Do. Physolspora orchidearum Oncidium sp. (orchid) 1 Do. Phylophthora capsici (?) Lycopersicum esculentum 2 Arizona. Pratylicanchys pratensis Solanum tuberosum 2 Texas. Pseudopeziza medicaginis Medicago sativa (alfalfa) 1 Do. Puccinia boutelouae Grass 1 New York. Puccinia cannae Canna sp. Puccinia incondita Solanum triquetrum 1 Do. Puccinia pimpinellae Pimpinella anisum (anise) 1 Do. Puccinia tagaticola Tagates tenuifoliae (?). Trematosphaeria cactorum Echinocactus macrodiscus (cactus). Traescantia fluminensis (cactus). Traescantia fluminensis (wandering jew). Medicago sativa (alfalfa) 1 Do. Wew York. Medicago sativa (alfalfa) 1 Do. Montserrat (wandering jew). Medicago sativa (alfalfa) 1 Do. Montserrat Sects: Asterolecanium miliaris longum (Occidae). Chrusomphalus personatus (Coccidae). Chrusomphalus personatus (Coccidae). Tagionia harti (Coccidae) Dioscorea sp. (yam) 1 Massachusett Monocconsects: Mo	Erysiphe cichoracearum Gloeosporium leguminum	Cucurbita pepo (pumpkin) Prosopis sp. (mesquite)			3 1			Do. Do.
Phyllachora graminis Choris Sp. 1 Do. Grass 1 Do. Do. Do. Mullenbergia utilis 1 Do. Do. Phyllosticta laetiae Laetia Sp. (orchid) 2 California.* Do. Physolspora orchidearum Oncidium sp. (orchid) 1 Do. Phylophthora capsici (?) Lycopersicum esculentum 2 Arizona. Pratylicanchys pratensis Solanum tuberosum 2 Texas. Pseudopeziza medicaginis Medicago sativa (alfalfa) 1 Do. Puccinia boutelouae Grass 1 New York. Puccinia cannae Canna sp. Puccinia incondita Solanum triquetrum 1 Do. Puccinia pimpinellae Pimpinella anisum (anise) 1 Do. Puccinia tagaticola Tagates tenuifoliae (?). Trematosphaeria cactorum Echinocactus macrodiscus (cactus). Traescantia fluminensis (cactus). Traescantia fluminensis (wandering jew). Medicago sativa (alfalfa) 1 Do. Wew York. Medicago sativa (alfalfa) 1 Do. Montserrat (wandering jew). Medicago sativa (alfalfa) 1 Do. Montserrat Sects: Asterolecanium miliaris longum (Occidae). Chrusomphalus personatus (Coccidae). Chrusomphalus personatus (Coccidae). Tagionia harti (Coccidae) Dioscorea sp. (yam) 1 Massachusett Monocconsects: Mo	Mycosphaerella opuntiae Myrothecium verrucaria	Mammillaria spp. (eactus) Lycopersicum esculentum	1					California.*
Physlostical alediae	Phullachora graminis	Chloris sp	1					New York. Do.
Pritytophthora capsici (?)	Phyllosticta laeliae	Muhlenbergia utilis Laelia sp. (orchid) Oncidium sp. (orchid)	$\frac{1}{2}$	1				California.*
Puccinia cannae. Puccinia promitala Solanum triquetrum Puccinia promitala Solanum triquetrum Puccinia promitala Solanum triquetrum Puccinia promitala Puccinia promitala Solanum triquetrum Puccinia promitala Solanum triquetrum Puccinia promitala Do. Puccinia tagericola Tagetes tenuifoliae (?). Trematosphaeria cactorum Echinocactus macrodiscus 1 California.* (cactus). Uromyces striatus medicaginis Virus spotted wilt. Virus spotted wilt. Lucopersicum esculentum Socts: Asterolecanium miliaris longum (Coccidae) Canna sp Tagets tenuifoliae (?). Uromyces commelinae Tradescantia fluminensis (wandering jew). Lucopersicum esculentum Soctis: Asterolecanium miliaris longum (Coccidae) Pectinophora gossypiella (pink bollyworm). Targionia hartii (Coccidae) Dioscorea sp. (yam) New York Massachusett Morocco Soctis Ezosoma lusitanica (Chry- Muscari comosum (cipol- 28 New Yotk.	Phytophthora capsici (?) Pratylenchus pratensis	Solanum tuberosum	2		2			Arizona. Texas.
Puccinia primpinetida — Primpinetida ansisim (anise) 1	Puccinia houtelouge	Grass	1		1			New York. Texas.
Uromyces commelinae	Puccinia pimpinellae	Solanum triquetrum Pimpinella anisum (anise) Tagetes tenuifoliae (?)	1					Do. Do.
Uromyces striatus medicaginis. Virus spotted wilt	Trematosphaeria cactorum	(eactus)						California.*
MONTSERRAT Boots: Asterolecanium miliaris longum (Coccidae). Chrysomphalus personatus (Coccidae). Pectinophora gossypiella (pink bollyorm). Targionia hartii (Coccidae). Dioscorea sp. (yam)	Uromyces striatus medicaginis_	Medicago sativa (alfalfa)						Do.
Asterolecanium miliaris longum (Coccidae). Chrysomphalus personatus (Coccidae). Pectinophora gossypiella (pink bollworm). Targionia hartii (Coccidae). Bamboo 1 New York. Michigan. Cossypium sp. (cotton- 1 seed). Dioscorea sp. (yam)	Montserrat	Lycopersicum esculentum	5					Arizona.
Chrysomphalus personatus (Coccidae). (Coccidae). Pectinophora gossypiella (pink bollworm). Targionia hartii (Coccidae). Dioscorea sp. (yam). Massachusett Exosoma lusitanica (Chry- Muscari comosum (cipol- 28 New York.)	Asterolecanium miliaris lon-	Bamboo		1				New York.
bollworm). seed). Targionia hartii (Coccidae) Dioscorea sp. (yam) 1 Massachusett Morocco seetts: Exosoma lusitanica (Chry- Muscari comosum (cipol- 28 New York.	Chrysomphalus personatus (Coccidae).	laurel).						
nsects: Exosoma lusitanica (Chry- Muscari comosum (cipol- 28 New York.	bollworm).	-seed).						Massachusetts.
	nsects:							
	Exosoma lusitanica (Chry- somelidae).	lino).						New York. District of C

		Nui	nber tion	of in	terc	ep-	
Country of origin and name of pest	Host	Cargo	Mail	Ваддаде	Quarters	Stores	Collected in—
Morocco—Continued							
Diseases: Aphelenchus avenae	Muscari comesum (cipol-	2					New York.
Diaporthe perniciosa	Malus sylvestris (apple)	. 1					District of Co
Microdiplodia passeriniana Phaeochora chamaeropis	Palm leafdo	1 1					New York. Do.
NETHERLANDS nsects:							
Acrolepia assectella (Plutel- lidae).	Allium porrum (leek)					2	Maryland.
Apion carduorum (Curcu-	Cynara scolymus (globe artichoke).					2	New York.
Apion pomonae (Curculio- nidae).	Vicia sp. (vetch)	3					, Do.
Bruchus affinis (Bruchidae)	Lathyrus latifolius (peren- nial pea).		2				District of Co
Bruchus brachialis (vetch bruchid).	Vicia sp. (vetch)		1		- -		Maryland.
Bruchus luteicornis (Bru-	do	1					New York.
Bruchus rufipes (Bruchidae) Bruchus tristiculus (Bru-	Lathyrus odoratus (sweet	6	1				Do. Do.
chidae). Callosobruchus ademptus (Bruchidae).	pea). Pueraria thunbergiana (kudzu).		1				Illinois.
Dialeurodes chittendeni (rho- dodendron whitefly).	Rhododendron sp		1				District of Co
Emphytus cinctus (sawfly) Do	Rosa chinensis manetti	2					Connecticut *
Do Do	do	10					New York.* New York. Ohio.*
Do	Rosa multiflora (Japanese rose).	1					New York.
Eumerus sp. (Syrphidae)	Iris xiphioides	1					District of Co
Do Do	Lilium sp. (lily) Narcissus sp	1					New York. Illinois.
Do	do do	$\frac{1}{2}$					Massachusetts. Pennsylvania.
Liothrips vaneeckei (thrips) Merodon sp. (Syrphidae)	do Lilium sp. (lily) Leucojum vernum (snow-	1					Pennsylvania. New York. District of Columbia.
	flake).	1			~~~		lumbia.
Do Do Do Do	Narcissus sp	1 3					Massachusetts.
Do	Sternbergia lutea (Fall-	4					Pennsylvania. District of Co
Rhopalosiphum nymphaeae (aphid).	datfodil). Tulipa sp. (tulip)	1					Jumbia. Michigan.
Diseases: A phelenchoides fragariae	Lilium regale (royal lily)	2					New York.
Do	Lilium tennifolium (coral lily).	1					Do.
Aphelenchoides parietinus	Convallaria majalis (lily- of-the-valley).	1					Do.
Do	Lilium canadense coccineum Lilium sp. (lily)	1					Do. Do.
Do	Lycoris squamigera	1					District of Co
Aphelenchus arenne Do	Aster sp. Colchicum autumnale var.	1					Do. Do.
Do	Hyacinthus sp	1					New York.
Bacterium hyacinthi Botrytis allii	do	1					Virginia. District of Co

	•	Nur		of in ns in-		p-	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
NETHERLANDS—Continued							
Diseases—Continued. Botrytis galanthina	Galanthus nivalis (snow-drop).	1					Massachusetts.
Do	do	1 1					New York. Virginia.
Botrytis parasitica	Narcissus sp Allium cepa (onion)	1					Michigan
Do	Allium cepa (onion)	1					New York, District of Co- lumbia.
Do	Galanthus sp.	1					New York,
Do Do	Galanthus sp	ĵ					Do. District of Co-
Do	Iris sp	3 41	2				lumbia. California.* District of Co- lumbia.
Do	Lupinus sp. (lupine)	1					Do.
Do	Narcissus sp	1 1					Illinois. Massachusetts.
Do	(10)	1					Pennsylvania.
Do	Solanum tuberosum Tigridia sp. (tigerflower)		1			1	Do. District of Co- lumbia.
Erysiphe umbelliferarum Monochaetia compta ramuli- cola.	Pastinaca sativa (parsnip) - Rosa chinensis manetti	1	1				Pennsylvania. California.*
Papulospora parasitica Pestalozzia macrotrichum		1					Pennsylvania. District of Co- lumbia.
Phoma oleracea Phoma rimosa	Phragmites communis (reed-	1					New York. Do.
Sclerotinia gladioli	Gladiolus sp	227	2				District of Co- lumbia.
Urocystis colchici	Colchicum sp	6					Do.
Uromyces fabae Vermicularia varians Verticillium albo-atrum	Vicia sp. (vetch) Solanum tuberosum	3				1	New York. Alabama.
Verticillium albo-atrum	Dahlia sp	1					District of Co- lumbia.
Do	Eremurus sp	1					Do.
NEVIS Insects:							
Targionia hartii (Coccidae)	Dioscorea sp. (yam)			1			Massachusetts.
Newfoundland							
Insects: Olethreutid	Vaccinium vitis-idaea (lingonberry).	8					Illinois.
Do	do	9					Michigan.
Do	Vaccinium sp. (blueberry)	2 2					Illinois. Michigan.
Do Tortricid		1					New York. Illinois.
	gonberry).						
Do	vaccinium sp. (blueberry)	3					Do. Massachusetts.
Do	do do	1 3					Michigan. New York.
Discorder:							
Exobasidium vaccinii Godronia cassandrae Sclerotinia oxycocci	do	1					Illinois. New York.
Sclerotinia oxycocci	do	î					Illinois.
Sporonema oxycocci	Vaccinium vitis-idaea (lin-	1					Michigan. Do.
	gonberry).						

List, by countries, of pests collected and reported from July 1, 1937, to June 30, 1938, inclusive—Continued

	·	Nur	nber tion	of in		p-	Collected in—	
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores		
NEW GUINEA								
Insects: Aspidiotus destructor (Cocci-	Cocos nucifera (coconut)	1					Hawaii.*	
dae). Targionia sacchari (Coccidae).	Saccharum sp		1				District of Co-	
NEW ZEALAND							lumbia.	
Insects: Conotrachelus sp. (Curculion-	Olea cunninghamii		1				Do.	
idae). Leucaspis podocarpi (Cocci-	Podocarpus nivalis	1					Hawaii.*	
dae). Poliaspis gaultheriae (Cocci-	Gaultheria sp		1				District of Co-	
dae). Sternochetus mangiferae (man-	Mangifera indica (mango)			1			lumbia. Washington.	
go weevil). Tineid	Chrysanthemum maximum	1					Hawaii.*	
Tortricid	(Shasta daisy). Malus sylvestris (apple)					1	Pennsylvania.	
Diseases: Sclerotinia gladioli	Gladiolus sp		1				District of Co-	
Nicaragua							lumbia.	
Insects: Xyleborus propinquus (Scolytidae).	Swietenia mahogani (ma- hogany) (log).	1					Louisiana.	
NORWAY								
Insects: Blastodacna sp. (Cosmop-	Malus sp		1				District of Co-	
terygidae). Callidium sp. (Cerambyci-	Pinus sp. (pine)	1				~	lumbia. New York.	
dae). Ceutorhynchus sp. (Curculionidae).	Brassica rapa (turnip)					1	Maryland.	
Do Diseases:	do					1	Virginia.	
Colletotrichum omnivorum Cumminsiella sanguinea	Aspidistra lurida			₁ -	1		New York.	
Ditylenchus dipsaci Rhizoctonia crocorum	Mahonia spSolanum tuberosumdo					2	Texas. Pennsylvania.	
NOVA SCOTIA								
Diseases: Didymellina iridis	Iris sp			1			Massachusetts.	
PALESTINE Insects:								
Parlatoria cinerea (Coccidae)_	Citrus grandis (grapefruit) Citrus medica (citron)		- <u>i</u>			1	Washington. Illinois.	
D_0	Citrus sinensis (orange)					1	Texas.	
PANAMA Insects:								
Anastrepha sp. (Trypetidae)	Mangifera indica (mango)_ Cocos nucifera (coconut)			1			Maryland. California.*	
Aspidiotus destructor (Cocci-	do	'	1				D ₀ .*	
Fulrius anthocorides (Miridae).	Tabebuia donnell-smithii (primavera) (log).	2					Louisiana.	
Lepidosaphes lasianthi (Coccidae).	Codiaeum sp. (croton)			1			New York.	
Leucaspis cockerelli (Coccidae).	Citrus limonia (lemon)					- 1	California.*	
Metamasius sericeus (silky çane weevil).	Musa sp. (banana)	8					Do.*	
Mirotermes panamaensis (ter-	Swietenia mahogani (ma- hogany) (log). Musa sp. (banana)	1					Louisiana.	
mite). Oedionychis panamensis (Chrysomelidae).	Musa sp. (banana)	1					California.*	

	Host	Cargo	Mail	gage	ers		Collected in—
Insects—Continued. Parlatoria camelliae (Cocci-			Z	Baggage	Quarters	Stores	Conected m—
Parlatoria camelliae (Cocci-							
	Howea sp. (palm)				1		Pennsylvania.
podidae).	Tabebuia donnetl-smithii (primavera) (log). Averrhoa carambola (kama-	. 1		1			Louisiana. Do.
Targionia hartii (Coccidae) Xyleborus confusus (Scolyti-	ranga). Dioscorea sp. (yam) Tabebuia donnell-smithii	1		<u>i</u>			New York. Louisiana.
tidae).	(primavera) (log). Cedrus sp. (cedar)	1					New York.
De Diseases:	Tabebuia donnell-smithii	. 1					Louisiana.
Pestalozzia palmarum Uredo behnickiana	Cocos nucifera (coconut) Oncidium sp. (orchid)	2 1					California.* District of Co- lumbia.
PARAGUAY Insects: Callosobruchus chinensis (Bru-	Bean		1				Do.
chidae).	do		1				New York.
chidae).	Serjania mexicana (bar- basco). Bean	1	1				Do. District of Co-
PHILIPPINES							
Insects:	Cocos nucifera (coconut)			1	1		California.*
Do	Palm Legume		₁ -		1		Pennsylvania. Hawaii.*
Caryedon fuscus (Bruchidae)	Tamarindus indica (tama- rind).			1			Do.*
dae). Coccus viridis (Coccidae)	Phalaenopsis schilleriana (orchid). Mitragyna rotundifolia	1					Do.* New York.
	Cucumis sativus (cucum- ber). Derris scandens (derris)	2				1	California.* New York.
trichidae).	Cymbidium finlaysonianum (orchid).		1				District of Co-
dae).	Codiaeum sp. (croton) Hibiscus sp		1	1			Washington. District of Co-
cidae).	Dendrobium taurinum (or- chid).		1				lumbia. California.*
D ₀	Phalaenopsis amabilis (or-chid).	1					Do.*
Do	Renanthera storiei (orchid) _ Tamarindus indica (tama- rind).		1	î			Do.* Hawaii.*
Odonaspis secretus (Coccidae) _ Orchidophilus aterrimus (Cur-	Dinochloa scandens Aerides crassifolium (or-	1	1				District of Co- lumbia. Hawaii.*
culionidae).	chid). Phalaenopsis amabilis (or-	1	1				California.*
	chid). Rhynchostylis retusa (or-	1	1				Hawaii.*
	chid). Renanthera sp. (orchid)		1				California.*

		Nur	nber tion	of in is in-	terce	p-	
Country of origin and name of pest	Host		Mail	Baggage	Quarters	Stores	Collected in—
PHILIPPINES—Continued							
Insects—Continued. Orchidophilus sp. (Curculionidae).	Orchid (several genera)	. 3	6				California.
Do- Orthaea pallicornis (Lygaei-	Vanda sanderiana (orchid)	1	10	1			Hawaii.* California.*
dae). Parlatoria pseudaspidiotus (Coccidae).	Vanda joaquimiae (orchid)	1					Do.*
D ₀	Vanda teres (orchid)	1	1				Hawaii.* California.*
Do Do Parlatoria ziziphus (Coccidae) Do	Vanda sp. (orchid) Citrus aurantifolia (lime) Citrus limonia (lemon)	1	2	1 2		1 1	Hawaii.* Do. * Washington. California.*
Prays citri (Philippine orange moth.)	do					1	Do.*
Prays sp. (Hyponomeutidae) Pseudaonidia curculiginis (Coccidae).	Citrus sinensis (orange) Citrus limonia (lemon) Grammatophyllum specio- sum (orchid).	1				1 	Do.* Do.* Do.*
Do	Dracontomelum dao (dao) (log).	1					Hawaii.* Virginia.
Pseudococcus lilacinus (Coccidae).	Citrus grandis (pomelo)			1			Hawaii.*
Do	Dendrobium aggregatum (orchid).		3	1			Do.*
D ₀	Dendrobium crumenatum (orchid).		1				California.*
Do	Dendrobium dearei (or-		1				Do.*
D ₀	Dendrobium findlayanum (orchid).		1				Hawaii.*
Do	Dendrobium macrophyllum (orchid).	1					Do.*
Do	Dendrobium merrillii (or-chid).		1				Do.*
Do	Dendrobium sanderae (or- chid).	1					Do.*
Do	Dendrobium sanderae par- viflorum (orchid).		1				Do.*
D ₀	Dendrobium sp. (orchid) Oncidium sphacelatum (or-		1				Do.* Do.*
Do	chid). Phalaenopsis amabilis (or-	1					California.*
Do	chid). Rhynchostylis retusa (or-chid).	1					Hawaii.*
Do	Vanda sanderiana (orchid) Derris scandens (derris)	1 3					California.* New York.
Vinsonia stellifera (Coccidae) -	Phalaenopsis amabilis (or-chid).		1				California.*
Do	Phalaenopsis grandiflora (orchid).	1					Do.*
Diseases: Bacterium citri Colletotrichum macrosporum	Citrus aurantifolia (lime) Cypripedium haynaldia- num (orchid).	<u>î</u>				1	Do.* Do.*
Colletotrichum orchidearum	Phalaenopsis amabilis (or- chid).	1	4				Do.*
Do	Phalaenopsis aphrodite (or- chid).	2	2				Do.*
Do	Phalaenopsis schilleriana (orchid).		2				Do.*
Gloeosporium affine	Phalaenopsis amabilis (or-	3	2				Do.*
Do	Phalaenopsis schilleriana (orchid).		2				Do.*
Do	Vanda sanderiana (orchid)	1					Do.*

		Nu	mber tio	of in	terce	ep-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—	
PHILIPPINES—Continued								
Diseases—Continued. Gloeosporium cinclum Macrophoma oncidii Physalospora orchidearum Do Tilletia horrida Volutella albido-pila	Dendrobium taurinum (or- chid). Phalaenopsis schilleriana (orchid). Phalaenopsis amabilis (or- chid). Phalaenopsis aphrodite (or- chid). Oryza sativa (rice). Phalaenopsis sp. (orchid).	1 1 1	1 1 1				California. Do.* Do.* Do.* New York, California.*	
Insects: Parlatoria cinerea (Coccidae)	Citrus limonia (lemon)			1			New York.	
Poland	Citrus sinensis (orange)			1			D ₀ .	
Insects: Aelia rostrata (Pentatomidae) Aphanus lynceus (Lygaeidae) Apion pomonae (Curculioni-	With packing on grapes and Corylus.	1		 1			District of Co- lumbia. Do. New York.	
dae). Beosus maritimus (Lygaeidae)	Vicia sp. (vetch) With packing on grapes	1					District of Co-	
Calyptonotus rolandri (Lygae- idae), Ceutorhynchus sp. (Curcu- lionidae), Lecanium coryli (Coccidae),	and Corylus. do Brassica oleracea capitata Salix retusa		 1			1	lumbia. Do. New York. District of Co-	
Do	Tilia cordata cordifolia Straw and moss packing around Corylus, grape, and Juglans cuttings.	1	1				lumbia. Do. Do.	
Palomena viridissima (Penta- tomidae). Rhyparochromus chiragra (Ly-	With packing on grape and Corylus cuttings.	1					Do. Do.	
gaeidae). Sciaphilus muricatus (Curculionidae).	Packing	1					Do.	
Scolopostethus affinis (Lygaei- dae). Sehirus bicolor (Cydnidae)	With packing on grape and Corylus cuttings.	1					Do.	
Sehirus morio (Cydnidae)	do	1					Do. Do.	
Ditylenchus dipsaci Fusicladium depressum Hendersonia pecki	Lonicera sp		1 			1	Do. New York. District of Co- lumbia.	
Phomopsis juglandina Urocystis occulata Urocystis tritici Verticilliodochium tubercula- rioides.	Juglans regia (English walnut). Secale cereale (rye). Triticum aestirum (wheat). Juglans regia (English walnut).	1 1 1 1					Do. Do. Do. Do.	
PORTUGAL Insects:								
Apion pomonae (Curculionidae). Baris laticollis (Curculionidae).	Vicia sp. (vetch) Brassica rapa (turnip)	3				1	Do. Pennsylvania	
dae). Bruchus rufi pes (Bruchidae) Do		1 4					Louisiana. New York.	

		Nui	nber tion	of in			
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Portugal-Continued							
Insects—Continued. Ceratitis capitata (Mediterranean fruitfly). Do	Citrus nobilis deliciosa (tangerine). Citrus sinensis (orange)			 1	1	1	Alabama. Do.
Do	Brassica rapa (turnip)					1	New York. Do.
DoLaspeyresia splendana (Ole- threutidae).	Raphanus sativus (radish) Castanea sp. (chestnut)	1				1	Do. California.*
Do	Tamarindus indica (tama- rind.	. 9		1			New York. Massachusetts
Psylliodes chrysocephala (Chrysomelidae). Diseases:	Raphanus sativus (radish)					1	New York.
Uromyces fabae	Vicia sp. (vetch)	1					Do.
PUERTO RICO Insects: Anastrepha mombinpraeoptans (Trypetidae).	Mangifera indica (mango)_				1		Do.
DoAnastrepha suspensa (Try-	Spondias cytherea (jobo de la India). Psidium guajava (guava)						Do.
petidae). Anastrepha sp. (Trypetidae). Do. Do.	Achras sapota (sapodilla) Psidium guajava (guava) Spondias cytherea (golden				1		Florida.* New York. Do.
Aonidiella cocotiphagus (Coccidae).	apple). Cocos nucifera (coconut)	2					Do.
Do Do Do	Mangifera indica (mango) _ Spondias cytherea (golden			1 1		1	Texas. New York Do.
Cylas formicarius (sweetpo- tato weevil).	apple). Ipomoea batatas (sweetpotato).					1	Louisiana.
Do	do			2 2			New York. Do.
vil). Frankliniella insularis (thrips).	Gerbera sp				1		Pennsylvania.
Haplothrips gowdeyi (thrips) Do Do Lyctus caribeanus (Lyctidae)_	Dahlia sp				1 1 1		Do. Do. Do. New York.
Do Maruca testulalis (bean pod	Cola acuminata (kola)	1 1					Do. Do.
borer). Do	pea). Phaseolus sp. (string bean) Spondias cytherea (vi-apple)					1	Pennsylvania. New York.
dae). Myelois sp. (Pyralididae)	Tamarindus indica (tama- rind).	2					Do.
Do	Gossypium sp. (cotton-seed).			$\frac{1}{2}$			Pennsylvania. New York.
Pinnaspis minor strachani (Coccidae).	Annona muricata (sour-sop).			1			Do.
Pseudischnaspisbowreyi (Coc- cidae).	Annona cherimola (cheri- moya).						Do.
Stephanoderes guatemalensis (Scolytidae).	Ochroma lagopus (balsa)						Do.
Stephanothrips occidentalis (thrips).	Grias cauliflora						Do.
Taeniothrips simplex (gladio- lus thrips).	Gladiolus sp				1		Pennsylvania.

		Nui	nber tio	of in	ep-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
PUERTO RICO-Continued							
Insects—Continued. Targionia sacchari (Coccidae). Trionymus sacchari (Cocci-	Saccharum officinarum (sugareane).		1	3			New York. District of Co-
dae). Vinsonia stellifera (Coceidae). Diseases:	Citrus sp			1			lumbia. New York.
Ceratostomella fimbriata	Ipomoea batatas (sweetpo-			2			Do.
Colletotrichum cajani	Caranus indicus (pigeon	1		1			Do.
Ditylenchus intermedius Puccinia urbaniana Rotylenchus bradys Septoria rosicola Uredo jatrophicola	pea). Dioscorea sp. (yam) Stachytarpheta jamaicensis_ Dioscorea sp. (yam) Rosa sp. Jatropha gossypifolia Jatropha sp.	2		1 1 1			Do. Do. Do. Do. Do.
Do	Jatropha sp		1				Do.
Insects: Targionia hartii (Coccidae)	Dioscorea sp (yam)		1				Do.
St. Kitts Insects: Asterolecanium miliaris longum (Coccidae). Targionia hartii (Coccidae)	Bamboo Dioscorea sp. (yam)		1				Do.
St. Lucia	Dioscorea sp. (gam)		1				150.
Insects: Lepidosaphes lasianthi (Coccidae).	Codiaeum sp. (croton)				1		Pennsylvania.
St. Vincent Insects: Euscepes postfasciatus (West Indian sweetpotato wee- vil). Diseases: Ceratostomella fimbriata	Ipomoca batatas (sweetpotato).					2	Massachusetts.
SALVADOR						-	D 0.
Insects: Aspidiotus destructor (Coccidae).	Cocos nucifera (coconut)			1			California.*
Heilipus sp. (Curculionidae)	Manihot esculenta (cas- sava).			1			Do. *
Platynota rostrana (Tortricidae).	Grass	1					Texas.
SCOTLAND Insects:							
Agriotes sp. (Elateridae)	Radicula amoracia (horse-radish).					1	Massachusetts.
Apion craccae (Curculionidae).	Vicia sp. (vetch)	1				1	Pennsylvania. Alabama.
Apion pomonae (Curculionidae).	do	1		-			Do.
Bruchus luteicornis (Bruchi-	do	1 3		1			New York. Do.
dae) Bruchus rufipes (Bruchidae) Do Do Do	Secale cereale (rye) Vicia hirsuta (hairy vetch)_ Vicia sp. (vetch) do	1 1 3 1					Louisiana. New York. Alabama. Louisiana.
Do. Bruchus sp. (Bruchidae) Ceutorhynchus pleurostigma (turnip gall weevil).	do	21 1				1	New York. Alabama. New York.

	2			of in			
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quartors	Stores	Collected in—
SCOTLAND—Continued							
Insects—Continued. Coleophora sp. (Coleophori-	Calluna vulgaris (heather)		4				New York.
dae). Forficula auricularia (Euro-			1				Pennsylvania.
pean earwig). Gelechia ericetella (Gelechi-	do		6				New York.
idae). Do	do		5				Pennsylvania.
Lecanium coryli (Coccidae)	gata.		1				District of Co- lumbia.
Lochmata suturalis (Chryso- melidae).			1				Do. New York.
Micrelus ericae (Curculioni- dae).			1				Maryland.
Do	do		1 20				Michigan. New York.
Do Myzus ornatus (aphid) Orthotylus ericetorum (Miri-	Sedum sp. (stonecrop)		2		1		Pennsylvania. Massachusetts.
đae).			1				Pennsylvania.
Scolopostethus affinis (Lygaeidae).			2				New York.
Taeniothrips atratus (thrips)	do		1				Maryland. Massachusetts.
Do	do		10				New York. Pennsylvania.
			4				Maryland. Michigan.
Do	do		16 3				New York. Do.
(lae).	OD		3				Do.
Diseases: Mycosphaerella fragariae	Fragaria sp. (strawberry)	2					District of Co- lumbia.
Oidium hortensioe Uromyces fabae Vermicularia trichella	Hydrangea sp Vicia sp. (vetch). IIedera helix (English ivy).	1			1		Massachusetts. New York. Do.
Insects:							
Eurytoma sp. (Eurytomidae) Diseases:	Vanda denisoniana (or- chid).		1				California.*
Gloeosporium affine	Saccolabium giganteum il- lustre.		1				Do.*
DoGloeosporium cinctum	Vanda caerulea (orchid)		1				Do.* Do.*
Glomerella cincta Physalospora orchidearum	Orchid Cymbidium lowianum (or-	1 1					New York. California.*
SOCIETY ISLANDS	chid).						
Insects: Tineid	Barringtonia speciosa		1				District of Co-
SOUTH EAST AFRICA							lumbia.
Insects: Ceratitis capitata (Mediterranean fruitfly).	Citrus sinensis (orange)				1		Texas.
SPAIN							
Insects: Ceratitis capitata (Mediter-ranean fruitfly).	do				3	2	Do.

		Nu	mber tio	of in	ep-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
SPAIN—Continued							
Insects—Continued. Chrysomphalus dictyospermi var. (Coccidae). Do. Parlatoria ziziphus (Coccidae) Diseases: Botrytis allii Puccinia allii Puccinia angustata.	Citrus limonia (lemon) Citrus sinensis Citrus limonia Allium cepa (onion) Allium sativum (garlic) Scirpus sp. (bulrush)					1 1 1 1 1 1	Maryland, Texas. California.* New york. Pennsylvania. Do.
STRAITS SETTLEMENTS	par sp. (barrasi)						20.
Insects: Aspidiotus palmae (Coccidae) Ceratitis sp. (Trypetidae) Parlatoria pergandii var. (Coccidae).	Palm. Capsicum annuum Citrus grandis (pomelo)		1		1	1 1	Massachusetts. Pennsylvania. Massachusetts.
Parlatoria pseudas pidiotus (Coccidae). Do	Orchid			1			Do. Hawaii.*
Do Do Parlatoria ziziphus (Coc-	Vanda cooperi (orchid)			1			Do.* Do.* Massachusetts.
cidae). Do Prays sp. (Hyponomeutidae)_ Diseases:	Citrus limonia (lemon) Citrus grandis (pomelo)					1	California.* Pennsylvania.
Bacterium citri Bo Do Do Bo Boterium lachrymans Septoria citri	Citrus aurantifolia (lime) Citrus grandis (pomelo) Citrus limonia (lemon) Cucurbita pepo (pumpkin) Citrus limonia (lemon)					1	Do. Do. Massachusetts. Maryland. New York.
SUMATRA Insects: Parlatoria pseudaspidiotus (Coccidae). Stephanoderes hampei (coffee berry borer).	Dendrobium sp. (orchid)						District of Co- lumbia. New York.
Insects:							
Ernobius abietis (Anobiidae) Leucas pis loewi (Coccidae)	Picea excelsa (Norway spruce). Pinus sp. (pine)						Do. District of Co-
Diseases:							lumbia.
Aphelenchoides parietinus Do Chrysomyxa pyrolae	Daucus carota (carrot)	1				1	Texas. Alabama. New York.
Ditylenchus dipsaci	Solanum tuberosum					1	California.*
Do Hendersonia pecki	Lonicera tatarica (Tata-					1	Pennsylvania. District of Co-
Lophodermium juniperinum _ Phomopsis aucubae Phragmotrichum chailleti	rian honeysuckle). Juniperus sp. (juniper) Aucuba sp. Picea excelsa (Norway	2	1		1		lumbia. Massachusetts. New York. Do.
Sporonema strobilinum Thecopsora padi	spruce). dodo	2					Do. Do.
SWITZERLAND Insects: Acalypta marginata (Tingitidae). Bruchus rufipes (Bruchidae). Franklinicila intonsa (thrips).	Packing for pear cuttings		1				District of Co- lumbia. New York. Do.
Laspeyrcsia splendana (Óle- threutidae). Do	Castanea sp. (chestnut)		1	1			California.* New York.

		Nui	nber tion	of in	p-		
Country of origin and name of pest	Host	Cargo	Mail	Mail Baggage Quarters		Stores	Collected in—
SWITZERLAND—Continued							
Diseases: Phyllosticta ruborum Pucciniastrum myrtilli Sporonema strobilinum Üromyces fabae	Rubus sp. (raspberry)		1 1	1			Maryland. New York. Do. Do.
SYRIA							
Insects: Bruchus dentipes (Bruchidae) - Lepidosaphes ficus (Coccidae) - Parlatoria oleae (Coccidae)	Vicia faba (broadbean) Ficus sp Malus sylvestris (apple)	1	1	1			Do. Washington. New York.
Trans-Jordan							
Insects: **Phloeotribus** scarabaeoides** (Scolytidae).	Olea europaea (olive)			1			Do.
TRINIDAD Insects:							
Anastrepha sp. (Trypetidae) - Asterolecanium aureum (Coc- cidae).	Mangifera indica (mango) Oncidium sp. (orchid)	1		1			Do. District of Co- lumbia.
Asterolecanium miliaris (Coccidae).	Bamboo		1				New York.
Asterolecanium miliaris lon- gum (Coccidae).	do		1				Do.
Ceroputo barberi (Coccidae)	Beaumontia randiflora (heralds-trumpet).			1			Do.
Furcaspis biformis (Coccidae)_	Cattleya sp. (orchid)		1				District of Co- lumbia.
Marmara sp. (Gracilariidae)	Citrus grandis (grapefruit). Citrus sinensis (orange)					1	Texas. Pennsylvania.
Orthezia praelonga (Coccidae) _ Pinnaspis minor strachani (Coccidae).	Bontia daphnoides		1	1			New York. Puerto Rico.
Do	Roystonea regia (royal palm).	1					District of Co- lumbia.
Diseases: Cerotelium desmium	Gossypium barbadense (Sea-			1			New York.
Colletotrichum truncatum Mycosphaerella citrul/ina	Island cotton). Phaseolus sp. (string bean) Cucumis sativus (cucum- ber).					1 1	Texas. Pennsylvania.
TURKEY Insects:	561)						
Bostrichus capucinus (Bostrichidae).	Glycyrrhiza glabra (licorice)		1				New York.
Bruchus rufipes (Bruchidae)	Legume seed			1			District of Co- lumbia.
Callirhytis glandium (Cynip-	Quercus sp. (valonia)	6					New York.
Trogoxylon impressum (Lyc-tidae).	Glycyrrhiza glabra (licorice)		1				Do.
Diseases: Anguina tritici	Triticum aestivum (wheat)		3				District of Co
Uro myces loti	Lotus sp			1			lumbia. Do.
Uganda							
Insects: Pectinophora gossypie la (pink	Gossypium sp. (seed cot-			1			New York.
bollworm). Stephanoderes hampei (coffee berry borer).	ton). Coffea sp. (coffee)						Do.
Union of South Africa							
Insects: **Ceratitis** sp. (Trypetidae) Do	Malus sylvestris (apple) Pyrus communis (pear)			1	1		Do. Texas.

		Nur		of in is in-			
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
Union of South Africa-Con.							Will find the first of the second sec
Insects—Continued. Chionaspis subnudata (Coecidae). Do Co Frankliniclla schultzei (thrips) Haplothrips gowdeyi (thrips)	Caralluma sp. Huernia kirkii. Stapelia peglerae. Ornithogalum thyrsoides (chinkerichee).		1 1 1 11 11				California.* Do.* Do.* New York. Do.
Haplothrips nigricornis (thrips). Do	Erica sp. (heath) Ornithogalum thyrsoides do		13	1			Do. Do. Do.
Hidomyrmex humilis (Argentine ant). Phlyctinus callosus (Curculionidae). Taeniothrips fumosa (thrips). Tortricid. Do. Do.	Vitis sp. (grape) Ornithogalum thyrsoides do. Prunus domestica (plum) Vitis sp. (grape)	4	14 15				Do. Do. Do. Do. Do. Do. Do.
Diseases: Aphelenchus avenac Fabraca maculata Heterosporium ornithogali Do Do Do Do Do Do Do Puccinia ornithogali-thyrsoides	Ornithogalum thyrsoides. Cydonia oblonga (quince) Ornithogalum thyrsoides. do do do do do do		1 3 6 1 3 4 2 3 4	1			Do. Do. Do. Do. Maryland. Massachusetts. Minnesota. New York. Pennsylvania. Maryland. Massachusetts. Minnesota.
Union of Soviet Socialist Republics	dodododododododo.	2	51 9	1			New York. New York.
Insects: Megastigmus aculeatus (Calli- nomidae). Diseases:	Rosa sp		1				District of Co- lumbia.
Fusicladium depressum URUGUAY	Foeniculum sp. (fennel)	1					New York.
Diseases: Ditylenchus dispaci	Allium sativum (garlic)	1					Do.
VENEZUELA Insects: Anchonus sp. (Curculionidae)	Cattleya sp. (orchid)	1					District of Co-
Do	Orchid Cattleya sp. (orchid)	1 4					Do. Do.
Do. Exptochiomera formosa (Lygaeidae).	Orchid Cattleya sp. (orchid)	1 1					Do. Do.
Furcaspis biformis (Coccidae). Do	dodo	1	1				California. * District of Co- lumbia. Hawaii. * Puerto Rico. District of Co- lumbia. New York. California. *
(ant). Do	Orehid	2					District of Co- lumbia. Puerto Rico.

		Nu	mber tio	of in	p-		
Country of origin and name of pest	Host	Cargo	Mail	Baggage	Quarters	Stores	Collected in—
VENEZUELA—Continued							
Insects—Continued. Stephanoderes guatemalensis (Scolytidae). Tenthecoris bicolor (Miridae). Do	Poinciana regia (flamboyant). Cattleya sp. (orchid) Orchid	10 2 2 2 1 1 3		1			Pennsylvania. District of Columbia. Do. Puerto Rico. California.* Do.* District of Columbia. Do.
Insects:	Dioscorea sp. (yam)		1				New Vorb
Targionia hartii (Coccidae) WALES Insects: Ceutorhynchus sp. (Curculionidae). Do Do Do Do Sects: Neotylenchus abulbosus Pratylenchus pratensis WEST AFRICA Insects: Brachypeplus rubidus (Nitidulidae). Diseases: Schizophyllum commune YUGOSLAVIA Insects: Chrysomphalus dictyospermivar. (Coccidae). Laspeyresia splendana (Olethreutidae). Pyrausta nubilalis (European corn borer). Taeniothrips dianthi (thrips). Diseases: Gloeodes pomigena UNKNOWN ORIGIN	Dioscorea sp. (yam) Brassica campestris (rutabaga). Brassica rapa (turnip) do. Solanum tuberosum Lorea klaineana (African wahnut (log). Khaya uorensis (African mahogany) (log). Nerium oleander (oleander) Castanea sp. (chestnut) Zea mays (corn) Dianthus sp. (carnation) Malus sylvestris (apple)	1	1 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	New York. Washington. New York. Texas. Do. Pennsylvania. New York. Do. Po. Pennsylvania. Illinois. New York. Do.
Insects: Aonidiella cocotiphagus (Coccidae). Ceratitis capitata (Mediterranean fruitfly). Dinoderus pilifrons (Bostrichidae). Metamasius sericeus (silky cane weevil). Myelois sp. (Pyralididae). Perkinsiella saccharicida (sugarcane leafhopper). Trypetid.	Cycad leaf On pier among 3 pounds of oranges. Bamboo cane Banana debris Punica granatum (pomegranate). In quarters of Clipper Heliconia sp. (wild plantain).	1			1		Do. Do. Washington. Louisiana. New York. Hawaii.* Louisiana.
garcane leafhopper). Trypetid	In quarters of Clipper Heliconia sp. (wild plan-				1	1	Louisiana.



